

Pet Stroller

ASSEMBLY INSTRUCTION




ADULT ASSEMBLY REQUIRED

Read all instructions before assembly and use.

Due to the presence of small parts during assembly, keep out of reach of children until assembly is complete.


BP-S8012T



PARTS LIST




Pet stroller
1PC



Rear wheels
1PC





Front wheel
2PCS





The tray
1PC


Assemble 1



Assemble 2



Now attach the rear wheels on the rear legs and hear the "click" to secure.
Pay attention to the direction of installation





To install the front wheel, insert wheel onto the leg until a "click" is heard.

Assemble 3


Secure the pet carrier into the four half moon clips on either side of the main frame of the pet stroller

Secure the four touch-fastening straps onto the frame of the pet carrier front and back




Assemble 4

Install Cup holder



Aim the hole of the cup holder to the plastic nuts on both sides of handle tube and install it.


Assemble 5







For your pet's safety, always apply the brakes when the pet stroller is stationary.

Lock the rear wheels by simply pushing down the brake levers on either side.

Disassembly 1



Disassembly 2



WARNING

1. Do not lift up the stroller when the pet is in.
2. Never use the stroller on uneven place.
3. Never use the stroller near the fire or other dangerous area.
4. Must use brakes when you stop moving you stroller.
5. Do not put two or more than two pets in one stroller.
6. Do not store or use this stroller in areas exposed to high or low temperature or humidity for a long time.
7. Maximum pet weight for this strollers is 15kgs.