



Varla™ | K-42203-PE01

24" pendant

Features

- Flared metal shade offers maximum brightness perfect for task work
- Suitable for damp locations, per UL 1598
- Includes installation hardware
- Fixture is dimmable when paired with dimmer switch and compatible bulbs
- Requires bulb with medium (E26) base; type A21 or G25 bulb recommended (sold separately)



Available Colors/Finishes

Color tiles intended for reference only.

- BML Black with Brass Trim
- CBL Polished Chrome/Matte Black
- MSL Matte Black with Brushed Nickel



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-30-2026 05:21 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

CSA C22.2 No. 250.0

Technical Information

All product dimensions are nominal.

Number of Lights:	1
Lighting Type:	Socket-based
Socket Type:	E-26 Medium
Number of Shades:	1
Hanging Type:	Downrod
Height:	27-1/4" (691 mm) - 81-1/4" (2063 mm)

Material

- Manufactured with quality materials and complemented with a meticulous finishing process
- KOHLER finishes resist corrosion and tarnishing

Required Electrical Service

One circuit required.


120 V, 0.5 A, 60 Hz

Warranty

See website for detailed warranty information.

KOHLER® Indoor Lighting Fixtures Limited Warranty





Installation

- Ceiling-mount

Installation Notes

Install this product according to the installation instructions.

