

# PGFU36X2



Product family	Cooktop
Installation	Ultra-low profile
Dimensions	36"
Power supply	Gas
Type	Gas
EAN code	8017709347420



## Aesthetic



Aesthetics	Classic
Color	Stainless steel
Finishing	Satin
Material	Stainless steel
Stainless steel type	Brushed
Grates	Cast iron
Burners	Standard
Burners material	Aluminum
Control setting type	Control knobs
Controls position	Lateral
No. of controls	5
Controls color	Stainless steel effect
Logo	Silkscreened

## Program / Functions

Burners	5
Cooking zones	5

## Technical Features



Front-left - Gas - Semi-rapid - 6000 BTU  
 Rear-left - Gas - Semi-rapid - 6000 BTU  
 Center - Gas - Ultra-rapid - 13500 BTU

Rear-right - Gas - Semi-rapid - 6000 BTU

Front-right - Gas - AUX - 3500 BTU

Gas safety valves                      Yes                                      Automatic Ignition                      Yes

## Accessories Included


Cast iron wok support              1

## Electrical Connection

Nominal power	1 W	Frequency	50/60 Hz
Voltage	100-120 V	Power cord length	47 1/4 "
Electric cable type	Single phase	Plug	B

## Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 LPG liquid gas
Gas connection	Cylindric	Gas nominal rating	9500 W



---

## Compatible Accessories

---

**6MP1PGF**

6 Linea knobs for PGF hobs



**GRW**

Wok support



**GRM**

Gas hobs moka support



**WOKGHU**

Cast-Iron WOK Support



---

## Symbols glossary

---

- |  |   |   |  |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control  |