
Let's build the

Cohen Bar Stool

SKU 24530









Scan me!

Free Lifetime Warranty nathan james

Ok, let's get rolling

This should be easy, just follow our instructions and you will be back to Netflix in no time.

Estimated time for assembly



30:00

What you need

- Some bubbly or your preferred relaxant
- Use the packaging carton as a working surface to prevent product damage during assembly
- Phillips head screwdriver

Weight Limitation



300

Toll-free at 1-866-619-1004 Help@nathanjames.com Nathanjames.com/help


What's included

	Description	Qty
Α	Chair Back	1
В	Seat Frame Assembly	1
С	Left Front Leg	1
D	Right Front Leg	1
Е	Front Footrest	1
F	Side Stretcher	2
1	1/4" x 40mm Hex Button Head Bolt	2
2	1/4" x 60mm Hex Button Head Bolt	4
3	1/4" x 80mm Hex Button Head Bolt	4
4	1/4" x 12mm Lock Washer	10
5	1/4" x 19mm Flat Washer	10
6	M4 x 38mm Screw	6
7	Allen Key	1
8	Plastic Nail-in Footpad (Extra)	4



Free Lifetime Warranty





IMPORTANT


- 1. Do not tighten bolts / screws completely until all bolts / screws are lined up and inserted into holes.
- 2. Do not over tighten screws and bolts to avoid stripping.

Let's get this thing fired up!

Secure on the Chair Back (A) and the Seat Frame (B) using the 1/4 inch Flat Washer (5), 1/4 inch Lock Washer (4) and 1/4 inch x 40mm Hex Button Head Bolt (1).


We told you this was going to be easy!

Do not overtighten hardware. Tighten to 75% for now.



Safety first, then comfort: let's make sure your stool is is sturdy! Secure the Seat Frame (B) using the 1/4 inch x 40mm Hex Button Head Bolt (3), 1/4 inch Lock Washer (4), and 1/4 inch Flat Washer (5).


Do not overtighten hardware. Tighten to 75% for now.



Let's secure those Front Legs (C) & (D) in place using the 1/4 inch x 60mm Hex Button Head Bolt (2), 1/4 inch Lock Washer (4), and 1/4 inch Flat Washer (5).

Consider this your workout of the day!

Do not overtighten hardware. Tighten to 75% for now.




Now, screw on the Front Footrest (E) and Side Stretchers (F). Use the M4 x 38mm Screws (6) to make this happen.

We're almost to the finish line, just one more step to go!

If you are having trouble getting the screws to catch, it is recommended to carefully use an electric screwdriver or drill with necessary bit for this step.




Do not over-tighten; holes may become stripped.




Issues with stretchers aligning at an angle?

If the stretchers are set at an angle when you are aligning them with their respective holes on the front & back legs, you have likely assembled the front legs incorrectly.



Re-check to confirm that the proper legs are installed in their intended position on the proper side of the stool.

The front legs are not interchangeable; therefore they may need to be rotated and swapped to the opposite side.



Carefully flip the stool over on a flat surface and make sure the legs are touching the ground evenly before tightening everything to 100%.



No heartburn, when we handle the return

Give us a call **1-866-619-1004** or shoot us a message at **help@nathanjames.com** we will issue you a free replacement with **zero hassle**.

Our way		Their way	
3	Give us a call		Re-package item
X	Replacement		Schedule pick up
<u></u>	You		Track package
		X	Replacement
			You

We really don't want you to go through the hassle of re-packaging your item and sending it back, because let's be honest...nobody has time for that.

Safety first, fun later

We want your product to last as long as possible, so we recommend that you tighten the screws 2 weeks after assembly and for added safety check the tightness of all screws every 2 months.

For proper care and treatment, please check our website at Nathanjames.com/products

Safe use of this product starts with you.

Use this product responsibly with the primary concern for your safety. Follow assembly instructions carefully and inspect product upon receipt and each use.

Nathan James and its parent companies cannot be held legally responsible for any injuries or death resulted from failure to follow instructions or improper use of this product.

Do not modify the structure of this product in any way.

Our products have been tested to meet specific safety measures as they were originally intended to be sold. Any modifications will present the risk of creating significant safety issues which NJ will not be responsible for.

Proper use

DO NOT frolic on bar stool DO NOT use bar stool as foot stool DO NOT leave spilled liquid on seat DO NOT use bar stool if damaged DO NOT make temporary repairs DO NOT use outdoors	DO NOT	use for commercial purpose
DO NOT leave spilled liquid on seat DO NOT use bar stool if damaged DO NOT make temporary repairs	DO NOT	frolic on bar stool
DO NOT use bar stool if damaged DO NOT make temporary repairs	DO NOT	use bar stool as foot stool
DO NOT make temporary repairs	DO NOT	leave spilled liquid on seat
, , ,	DO NOT	use bar stool if damaged
DO NOT use outdoors	DO NOT	make temporary repairs
	DO NOT	use outdoors

We are only in business if you're happy

For starters, thanks for being you.

- & Toll-free at 1-866-619-1004
- Mathanlames.com/help

We do our best to ensure your furniture arrives without any problems, but occasionally mistakes happen—as humans we are imperfect beings. In the event that a part is damaged or missing, we will be more than happy to provide you with replacement part(s) for free.

Warranty

This product comes with a lifetime warranty from the date of purchase. Please use your phone to scan the QR code to register your product or visit https://goo.gl/i9dk3q



Did we do alright? Please spread the love!

If you are happy with your product, tell your friends and family about us or even better leave us a review online. Spreading the word gives us the opportunity to make more people happy and keep our prices low for your next purchase.

Founder, Nathan James