


Weight capacity : 45 Kgs/ 100 Lbs














IMPORTANT:

1. Do not tighten bolts / screws completely until all bolts / screws are lined up and inserted into holes.
2. Do not over tighten screws and bolts to avoid stripping.
3. Please use hand tools to assemble this product. Do not use power tools.

COMPONENTS LIST


<p>A</p>  <p>LEG A Q'ty x 2 pcs</p>	<p>B</p>  <p>LEG B Q'ty x 2 pcs</p>	<p>C</p>  <p>SHORT STRETCHER Q'ty x 2 pcs</p>	<p>E</p>  <p>SUPPORT STRETCHER Q'ty x 2 pcs</p>
		<p>D</p>  <p>LONG STRETCHER Q'ty x 1 pce</p>	<p>F</p>  <p>TABLE TOP UNIT Q'ty x 1 pce</p>

HARDWARE LIST

<p>1</p>		<p>24 pcs</p>	<p>Bolts 1/4" x 14mm</p>	<p>3</p>		<p>1 pcs</p>	<p>Allen key</p>
<p>2</p>		<p>24 pcs</p>	<p>Washer</p>				


STEP 1:

Connect leg A (A), leg B (B) with a short stretcher (C) by Bolts (1) and Washers (2).
95% tighten all bolts by allen key (3)




STEP 2:

Connect 2 groups from step 1 with a long stretcher (D) by Bolts (1) and Washers (2).
95% tighten all bolts by allen key (3)




STEP 3:

Connect group from step 2 with 2 support stretchers (E) by Bolts (1) and Washers (2) 95% tighten all bolts by allen key (3)



STEP 4:

Connect group from step 3 with table top unit (F) by Bolts (1) and Washers (2)
100% tighten all bolts by allen key (3)



STEP 5:

Flip it on over and done.

