


ASSEMBLY INSTRUCTION








Scan the QR code to watch
assembly instruction video




READ & SAVE THIS INSTRUCTIONS
BEFORE ASSEMBLY

- 1.Please separate and identify all the parts, making sure you have all of the parts listed.
- 2.To avoid any scratch during assembly,please assemble on a soft mat or similar.
- 3.Please assemble step by step and follow the instruction.
- 4.Washers must be used.
- 5.Do not completely fasten each screw and nut until all the screws are properly fixed.
- 6.If you have a electric screw driver,you can use the electric screw driver instead of the allen key we provided,the electric screw driver helps you to shorten the assembly time.
- 7.Questions, problems, missing parts? Do not hesitate to contact our customer service.
Customer Service Email: toquickservice1@gmail.com


Parts List

A		1pc	E	 M6*55	4pcs	K		1pc
B		1pc	F	 M6*75	4pcs	L		1pc
C		2pcs	G		8pcs	M		4pcs
D		2pcs	J		8pcs	N		4pcs

Step 1




Tighten the screws to 50% tightness




Makesure the letter label C is face forward(front side) when install the two leg tubes.

Step 2



Pull and flatten the seat fabric, makesure the seat fabric edge is close to the plastic part as much as possible.



Step 3




Tighten the screws to 50% tightness





Install one side A and C at first,screw on 50% only, and then install the other side, you need to buckle the seat tube A and leg C with appropriate force, so that the screws can be tightened smoothly.



Step 4




Adjust the chair balance, then tighten
all the screws to 100% tightness



Step 5



Step 6



Finish

