


Product Instructions for:

Parsons Counter Stool with Nail Heads




Parsons Counter Stool with Nail Heads


Before beginning assembly, separate all parts and carefully study the parts diagrams below. Review all parts and hardware before disposing of any packaging. You may receive extra hardware with your unit. Call Customer Service for missing hardware.

Parts List


A:Back (1)




B: Seat (1)




C:Front Rail (1)




D: Left Side Rail (1)




E: Right Side Rail (1)




F:Left Leg (1)




G:Right Leg (1)




1: Short Bolt $\varnothing 5/16 \times 1-3/4$ " L (5)




2: Long Bolt $\varnothing 5/16 \times 2-1/8$ " L (4)




3: Screw M4 $\times 1-9/16$ " L (6)



4: Flat Washer (9)



5: Spring Washer (9)



6: Allen Wrench (1)



Parsons Counter Stool with Nail Heads

Assembly Instructions




Figure 1

Unpack and lay parts on clean, padded surface like carpet or blanket. Check that you have all parts indicated on the front page.

Step 1

Lift the Velcro strip from the bottom of the Seat (B).




Figure 2

Step 2

Insert the Front Rail (C) into Pre-drilled holes on the Left Leg (F) and Right Leg (G) as shown in Figure 2.

Connect Front Rail (C) to Left Leg (F) and Right Leg (G) with Screws (3).

Tighten Screws (3) with Phillips screwdriver (not included)




Figure 3

Step 3

Insert the Right Leg (G) and Left Leg (F) into the Seat (B) as shown in Figure 3.




Figure 4

Step 4

Connect Right Leg (G) and Left Leg (F) to Seat (B) with Long Bolt (2), Flat Washer (4) and Spring Washer (5).

Tighten Bolt with Allen Wrench (6) as shown in Figure4.




Figure 5

Step 5

Insert the Left Side Rail (D) and Right Side Rail (E) into pre-drilled holes on Back (A) and pre-assembled unit in Figure 4 as shown in Figure 5.




Figure 6

Step 6

Connect Seat (B) to Back (A) with Short Bolts (1), Spring Washer (5) and Flat Washer (4).

Tighten Bolt with Allen Wrench (6) as shown in Figure 6.




Figure 7

Step 7

Connect Left Side Rail (D) and Right Side Rail (E) to the Right Leg (G), Left Leg (F) and Back (A) with Screws (3).

Tighten Screws (3) with Phillips screwdriver.




Figure 8

Step 8

Close the Velcro strip from the bottom of the Seat




Figure 9

Step 9

Recheck all Bolts are securely Tightened.

Turn over the Parsons Counter Stool.

Now your Parsons Counter Stool is ready to use!