





# **CRYSTAL ACRYLIC CEILING LIGHT**


# SAFETY & WARNINGS

- Recommend installation of this lighting fixture be done by a licensed electrician.
- Warning switch off the main electrical supply from the main fuse microcircuit breaker before installation.
- The installer and/or user must read, understand and follow these instructions before installing the product. This product must be properly installed before it is used.
- Please make sure that you have all parts indicated before you begin assembly of this item.
- To reduce the risk of fire, electrical shock or injury to persons or property, please follow the guideline below for safe use and installation.


# INSTALLATION DRAWINGS



# WIRING DIAGRAM



# REMOTE CONTROL DIAGRAM



A: Control Auxiliary Light Source RGB.

B: Control main light source.

SLEEP: Keep all light sources dormant.

ON/OFF: Switch all light sources.

# CLEANING & CARE

- To clean the outside of the fixture, use a dry or slightly dampened clean cloth (use clean water, never a solvent) to wipe the surface of the fixture.
- To clean the inside of the fixture, first disconnect power to the fixture by turning off the circuit breaker or by removing the fuse at the fuse box.
- Use a dry or slightly dampened clean cloth (use clean water, never a solvent) to wipe the interior surface of the fixture.
- Do not use any cleaners with chemical, solvents or harsh abrasives. Use only a dry soft cloth to dust or wipe carefully.