


ASSEMBLY INSTRUCTION



PLEASE DO NOT RETURN TO STORE




**Please do not return this product to the retailer!
We are able to assist you in ANY way!**


**If you find that you have any trouble with assembly or
missing or damaged parts please contact the seller.**


























Please carefully review the following precautions before proceeding with the installation:














1. The installation process for this product is complex, and it is highly recommended to have at least two individuals working together during the installation.
2. Prior to each step, please refer to the screw hole positions to ensure that the board is aligned correctly according to the images provided in the instruction manual. This will help prevent any errors.
3. In case power tools are used for installation, it is important to tighten the screws intermittently rather than applying excessive force continuously. This precaution will help avoid potential cracks around the screw holes.
4. If you encounter any difficulties or issues during the assembly process, please don't hesitate to reach out to us. We assure you that we will address your concerns and provide a solution within 24 hours.


Thank you for your attention to these important instructions.





① x1 	② x1 	③ x1 
④ x1 	⑤ x1 	⑥ x1 
⑦ x1 	⑧ x2 	⑨ x2 
⑩ x1 	⑪ x1 	⑫ x1 
⑬ x1 	⑭ x1 	⑮ x1 
⑯ x1 	⑰ x1 	⑱ x2 
⑲ x2 	  ⑲ x2 ⑲ x1	⑲ x1 
⑳ x1 	㉑ x2 	㉒ x2 

26 x1 	27 x1 	28 x1 
29 x1 	30 x2  31 x2 	32 x2 
33 x2 	34 x1 	35 x1 
36 x2 	37 x1 	38 x1 




Easy Installation:

-Can rotate the combination dial clockwise or counterclockwise


Set Your Own Password

-The password can be changed instantly
-No special tools required



1000 Combination Options

Change the password simply by pressing the button and setting the code in just a few seconds



Important Notes:

Password Setting


1. Password must be set when the lock is unlocked (default password is 0-0-0)
2. The reset position is located at the small hole on the lower edge of the outer ring; rotate the head until the internal button becomes visible
(Can be used with accessory O)
3. Insert a small cylindrical rod into the button, press it down, and rotate the combination dial to align your desired numbers in the center
4. Release the button to complete the password setting

Locking & Unlocking






Rotate to lock the device

After locking, randomly turn one or all combination dials to secure the lock
To unlock, rotate the dials to match the preset password

Hardware


A	x106 +3(spare)	B	x106 +3(spare)	C	x63 +3(spare)	D	x42 +3(spare)	E	x28 +2(spare)	F	x16 +1(spare)
											
Ø6x32mm				Ø6x30mm		Ø3.5x12mm		Ø4x25mm		Ø4x35mm	
G	x4	H	x1	I	x16	J	x1	K	x1	L	x2
											
Ø4x30mm										M6x45mm	
N	x1	M	x2	O	x1	P	x1	Q	x4	R	x41
											
S	x8	T	x12 +1(spare)	U	x1	CL	x2	CR	x2	DL	x2
											
		Ø6x20mm				L350mm		L350mm		L350mm	
DR	x2										
											
L350mm											

STEP1




A	x8
	
Ø6x32mm	
B	x8
	


STEP2



STEP3




STEP4




D	x4
	
Ø3.5x12mm	
DL	x1
	
L350mm	
DR	x1
	
L350mm	

STEP5




A	x14
	
Ø6x32mm	
D	x4
	
Ø3.5x12mm	
CL	x1
	
L350mm	
CR	x1
	
L350mm	



STEP6



STEP7





STEP8





B	x7
	
C	x4
	
Ø6x30mm	

STEP9





B	x7
	
C	x4
	
Ø6x30mm	

STEP10




I	x5
B	x7
C	x4
Ø6x30mm	

STEP11





I	x5
B	x7
C	x4
Ø6x30mm	

STEP12




A	x4
	
Ø6x32mm	

STEP13





B	x4
	
C	x4
	
Ø6x30mm	
G	x4
	
Ø4x30mm	

STEP14





E	x6
	
Ø4x25mm	
T	x4
	
Ø6x20mm	
L	x2
	
M6x45mm	

STEP15




I	x6
	
Ø6x30mm	
C	x2
	
Ø6x30mm	
A	x16
	
Ø6x32mm	
B	x2
	

STEP16




B	x14
	
C	x12
	
Ø6x30mm	

STEP17




D	x2
	
Ø3.5x12mm	
A	x12
	
Ø6x32mm	
J	x1
	
S	x8
	
K	x1
	

STEP18





A	x7
	
Ø6x32mm	

STEP19




A	x26
	
Ø6x32mm	



STEP20



B	x4
C	x2
Ø6x30mm	






STEP21





B	x2
C	x1
Ø6x30mm	

STEP22





B	x6

STEP23




B	x1

STEP24




B	x20
C	x12
Ø6x30mm	

STEP25





B	x12
C	x12
Ø6x30mm	
F	x8
Ø4x35mm	

STEP26




E	x11
	
Ø4x25mm	
T	x6
	
Ø6x20mm	


STEP27



A	x3
	
Ø6x32mm	
B	x3
	
C	x2
	
Ø6x30mm	




STEP28



E	x3
	
Ø4x25mm	
T	x2
	
Ø6x20mm	

STEP29




E	x8
	
Ø4x25mm	

STEP30





Note: After the door panel is installed, if the gap of the door is too large or too small, you can adjust this screw to adjust the gap of the door.

3. Adjust this screw to make the door go up or down




2. Adjust this screw to make the door forward or backward

1. Adjust this screw to make the door turn left or right




D	x8
	
Ø3.5x12mm	
Q	x4
	

STEP31




D	x16
	
Ø3.5x12mm	

STEP32



STEP33



Note: There are additional USB-A ports at the bottom of the power strip. You can plug the LED strip into the bottom of the outlet.

H	x1	R	x41