SIDE-BY-SIDE 2-PERSON WORKSTATION

INSTALLATION MANUAL



Thank you for choosing our workstation system. To ensure a smooth and successful installation, please read this preface and the following instructions carefully before you begin. Proper preparation is key to an efficient assembly process.

1. Package Verification

Our workstations are shipped in multiple packages labeled A, B, C, and D. Upon delivery, please verify that you have received all packages before starting assembly. Check the quantity and package types against your original order to ensure completeness. Do not proceed if any package is missing.

2. Package Configuration Guide

WORKSTATION CONFIGURATION	PACKAGES LIST	WORKSTATION CONFIGURATION	PACKAGES LIST
Single Workstation:	**PKG-A x 1**	**Facing 2-Person Workstation:**	**PKG-A x 1 + PKG-B x 1**
Facing 4-Person Workstation:	**PKG-A x 1 + PKG-B x 1 + PKG-C x 1 + PKG-D x 1**	**Facing 6-Person Workstation:**	**PKG-A x 1 + PKG-B x 1 + PKG-C x 2 + PKG-D x 2**
Side-by-Side 2-person Workstation:	**PKG-A x 1 + PKG-C x 1**	**Side-by-Side 3-person Workstation:**	**PKG-A x 1 + PKG-C x 2**

3. Packaging & Support

To prevent damage or loss during transit, all components are securely packed with reinforced materials. However, if you have any concerns about the received products (e.g., visible damage, missing parts, or inconsistencies), please contact our customer service first before proceeding. Our technical support team is ready to assist you promptly.

4. Installation Personnel & Pre-Assembly Planning

4.1 Recommended Installers: 1-2 persons.

4.2 Final Placement: Due to the substantial weight and size of the assembled workstation, moving it after construction is highly discouraged and may cause damage or injury. Please finalize and confirm the desired location before starting assembly to avoid future inconvenience.

LERSHY

5. Customer Notes

5.1 Please keep all packaging materials until assembly is complete and you have verified all parts are present and undamaged.

5.2 Follow the step-by-step instructions in the correct sequence. Do not over-tighten fasteners during intermediate steps.

5.3 Use only the tools and hardware provided.






5.4 For your safety and the product's integrity, ensure the workstation is stable and all connections are secure before use.

6. Feedback


If you are satisfied with your new desk and our service, we would be truly grateful if you could share your positive feedback. It helps us grow and continue to improve.

We wish you a pleasant and successful assembly experience!


Two Person Side by Side Assembly Steps Quantity of Accessories

 Adjustable Foot * 6	 Self-tapping Screw* 48
 Single Foot * 3	 Side Edge Banding * 3
 Single Cap * 3	 Center Support Bracket * 12
 L-shaped Foot * 2	 Square Post*3
 L-shaped Cap*2	
 Cable Hole Cover*4	Table top * 2
 T-shaped cap *1	 T-shaped foot *1

LERSHY




Big Screen * 2



Small Screen * 3


Step 1

As shown in the picture, find 3 sets of Single foot ,
2 sets of L-shaped foot , and 1 set of T-shaped foot
to assemble and adjust the foot.



Step 2


Take out the large screen and place the installed L-shaped foot on both sides of the big screen, as shown in the picture. Installing this slot requires finding a partner to assist. Install one supporting screen to prevent it from collapsing.



LERSHY


Step 3

Take out a small screen and install it with a single foot as shown in the picture. Connect it to one side of the big screen with the L-shaped foot , ensuring that the top of the big screen and small screen are parallel. If it's uneven, you can debug the foundation.



Step 4


Take another big Screen and connect it to the T-shaped foot of the middle small screen as shown in the picture



LERSHY

Step 5

Take another big screen as shown in the diagram and connect it to the bottom of the T-shaped foot bracket on the central small screen. Insert the quare post column into the junction between the big and small screens. Pay attention to the levelness of the top installation. Achieve precise positioning by fine-tuning the bracket height,
then cover with the T-shaped cap plate.



Step 6


Take a small screen and connect it to the L-shaped foot of the big screen on the left



LERSTY


Step 7

Take the Square post pillar and L-shaped cap and install the left small screen together. The top connection should be flat and easy to install the L-shaped cap



Step 8

Install the small screen on the right side with Single foot as shown in the picture.Take the Square post pillar and L-shaped cap and install the small screen on the right side together. The top connection should be smooth and easy to install the L-shaped cap



LERSLY

Step 9

As shown in the picture, hang the 12 Center support bracket and pay attention to the position of the support arms of the small screen in the middle. They should be staggered to facilitate screwing without colliding with each other




Place 2 desktop and 4 Cable hole cover , and connect the bottom middle support arm to the panel with self Self-tapping screw



Step 10

Install three Side edge banding and three Single cap on the sides of three small screens




TERSHY

Step 11

Install three Single cap and four cablehole cover.



Installation Completed



Back Side

LERSHY