

Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Location: \_\_\_\_\_

Contact: \_\_\_\_\_

## One-Light Close-To-Ceiling

Wall or ceiling mounted • Damp location listed



### Description:

One-light LED round wall or ceiling mount fixture. The acrylic diffuser comes with Brushed Nickel knobs for a complete look.

### Specifications:

- Brushed Nickel (plated)
- Steel Construction
- White acrylic diffuser
- Brushed Nickel knobs.
- Acrylic diffuser with white, bronze and brushed nickel knobs.
- 1,211 lumens 71.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- Dimmable to 10% brightness (See Dimming Notes)
- Back plate covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- 6" of wire supplied
- ENERGY STAR® qualified

### Performance:

|                        |   |
|------------------------|---|
| Number of Modules      | 1   |
| Input Power            | 17w   |
| Input Voltage          | 120 V   |
| Input Frequency        | 60 Hz   |
| Lumens/LPW (Source)    | 1211/71.2 (LM-82)                                     |
| Lumens/LPW (Delivered) | 814.3/47.9 (LM-79)                                    |
| CCT                    | 3000 K  |
| CRI                    | 90 CRI  |
| Life (hours)           | 60,000 (L70/TM-21)                                    |
| FCC                    | Meets FCC Title 47, Part 15 Class B                   |
| Min. Start Temp        | -30 °C  |
| Max. Operating Temp    | 30 °C   |
| Warranty               | 5 year warranty                                       |
| Labels                 | cCSAus Damp location listed<br>ENERGY STAR® qualified |

### Images:



### Dimensions:

Diameter: 12"  
Depth: 2-7/8"  
Height: 12"  
H/CTR: 6"

Glass  
Width: 12"  
Height: 12"



## Dimming Notes:

---

This light is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

## Dimming Controls

---

Lutron Nova T NTELV-300

Lutron Verti VTELV-600

Lutron Maestro MAELV-600

Lutron spacer/system SPSELV-600

Leviton Renoir II AWRMG-EAW

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.