



PureFlo™ | K-78438

30" cable bath drain

Features

- For baths 15" – 21" (381 – 533 mm) deep from center of bath overflow outlet to center of bath drain outlet
- 30" (762 mm) length external cable
- Flexible overflow joint conforms to various bath angles
- Rotary or push handle controls and pop-up drain stopper (sold separately)
- No internal linkages, reducing the potential for clogging
- Includes tee, drain ell, and overflow ell with attached 1-1/2" OD pipe
- Flexible overflow neck fits various bath angles for easy installation



Available Colors/Finishes

Color tiles intended for reference only.

NA NA Not Applicable



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-30-2026 03:19 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.18.2/CSA B125.2

Material

- Solid-brass construction for durability and reliability
 - 17-gauge brass drain pipe
-

Recommended Products/Accessories

K-23726 Drain treatment

K-23723 Faucet cleaner

Required Products/Accessories

- K-T37391 Rotary-turn bath drain trim

or

- K-T37392 Rotary-turn bath drain trim

or

- K-T37393 Traditional rotary-turn bath drain trim

or

- K-T37395 Bath drain trim

or

- K-T37396 Traditional push-button bath drain trim
-

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-30-2026 03:19 - US-CA



Installation

- Above- or through-the-floor
- Can be installed and tested without required trim kit

Installation Notes

Install this product according to the installation instructions.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-30-2026 03:19 - US-CA

THE BOLD LOOK
OF **KOHLER**