




Product Installation Instructions







1_{x3}




2_{x6}




3_{x3}




4_{x3}




5_{x1}




6_{x2}




7_{x1}




8_{x1}




9_{x1}




10_{x1}




11_{x2}




12_{x1}




13_{x2}




14_{x1}




15_{x1}




1




16_{x1}




17_{x1}




18_{x1}




19_{x1}




20_{x1}




21_{x1}




22_{x1}




23_{x1}




24_{x1}




25_{x1}




26_{x1}



27_{x1}




28_{x2}
















29_{x1}




30_{x1}




2

Hardware Accessories List			
A		Two In One Screw (6x28mm)	116pcs +12pcs
B		Two In One Nut (10x12mm)	116pcs +12pcs
C		Wood Chipping (6x30mm)	20pcs +2pcs
D		Handle & Screw (3.5x12mm)	6pcs +2pcs 3pcs
E		Guide & Screw (29CM) (3.5x12mm)	40pcs +8pcs 8pcs
F		Non-slip pads (50x10mm)	6pcs +2pcs
G		Fixing clip & screw (3x16mm)	26pcs +3pcs
H		Forked line	1pcs
I		Wire clamp	2pcs +1pcs
		Socket (3x10mm)	2pcs +1pcs 1pcs
J		Anti Fall Hardware	1pcs
  1pcs Double-head screwdriver, use as required 			




Product structure decomposition




Product structure decomposition

Use parts ① and ②




Step1



Step2





Step3



Use a screwdriver to lock in the direction of the "+" sign

Disassemble along the direction of "-" sign


Step 1



Steps and objects x3


Step 2

Note the orientation of the card slot





Steps and objects x3

Step 3



Steps and objects x3


Step 4



Steps and objects x3

Step 5


Note the orientation of the card slot




Steps and objects x3

Step 6

B




x24




Steps and objects x3

Step 7

D




x3 x6




Steps and objects x3

Drawer rail breakdown diagram




① Dismantle the schematic diagram

Step 1 : Pull the rails apart



Step 2 : Press the nylon button and pull out ①.

Drawer rail decomposition completed schematic diagram




Step 8

Diagram showing the components for the wooden frame:

- 6 E-profiles (labeled 'E' in a circle)
- 12 screws (labeled 'x12')


x12




Steps and objects x3

Step 9

A




x6




Step 10


B



x2




Step 11





Note the orientation of the card slot


Step 12



Step 13




Step 14




Note the orientation of the card slot

Step 15



B




x10




Step 16







Product structure decomposition


Step 17


Ax2




Step 18

Bx2


Cx4




Step 19




E



x3




x9




This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 20

A




x10




Step 21

B




x6




Note the orientation of the card slot

Step 22


B




x4




Step 23




E



x3




x9




This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 24


A




x10




Step 25

B  x10




Step 26

Mind the hole orientation




Step 27

A




x4




Step 28


B



x2





Step 29





Insert board No.15 first, and then fasten the nuts later.

Step 30




Step 31




Step 32

A




x12




Step 33

B




x12




Step 34

F




x6




Step 35

Ⓑ




x4




Stand the cabinet upright and tighten the nuts on board No.15


Step 36




E



x2






x6



This hole is for strengthening fixed hole customers
can choose to install according to their needs.

Step 37







Product structure decomposition

Step 38

A




x4



Step 39

A




x2

C




x2




Step 40

B




x2




Step 41

A





x3



33


Step 42


B  x3




Pay attention to the direction of Plate No.22

Step 43


B  x2

C  x2




Step 44

A




x4




Step 45


B



x4



Step 46




Insert board No.26 first, and then fasten the nuts later.

Step 47

C




x4




Step 48

A




x6




Step 49

B




x4




Step 50

A




x4



Step 51

B




x4

C




x2




Step 52

A




x6




Step 53


B



x6



Step 54




Step 55

C




x6




Step 56

B




x6




This step need two people to operate and hold on it together

Step 57


B




x7







Step 58



x1




x2




The wire exits through the back panel hole.





Step 59



As shown, When installing the drawer, pull the guide rail out first, Slide beads are also pulled out.




Step 60





If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 61




G



x26




Step 62





Step 63


ⓘ




x2



J


 x2

 x2


 x2

Install as required



3.5x14mm





Install the anti fall hardware on the cabinet as shown in the picture first




Then mark the wall with a pen through the holes in the anti-fall hardware



Step 65






Drill the hole with an electric drill and punch in the colloidal particles



Fix the table to the wall

4x45mm





User's Guide

A27

Thank you for purchasing this product.

To use this product, please connect it to a power source.

Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller. It has 1 USB output port 1 Type-c port and can distribute the current output up to 5V DC-2A. With 2 touch buttons, it can turn. ON/OFF the light, change light colors, and adjust the light luminance.

Operation




This touch button controls the on/off of the light

Short touch -> lighting on -> short touch -> lighting off.



This touch button controls the color switching and brightness adjustment of the light

1. It can only be used when the light is on
2. Offering 3 different colors to choose from. Simply tap to cycle through the options.
3. Long touch -> adjust the luminance.



 ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If you have any questions when installing, please feel free to contact us. Thank you.