

BEFORE ASSEMBLY

Thank you for purchasing this quality product. This product has been designed for easy assembly and constructed for durability. All parts were checked prior to packaging to insure quality. Prior to beginning assembly, however, make sure all parts and hardware are included and free of obvious defect. If a part is missing or defective, please contact the store where purchased.

IMPORTANT NOTE:

- Place all wooden parts on a clean and smooth surface such as a rug or carpet to avoid the parts from being scratched.
- Remove all wrapping material, including staples & packing straps before you start to assemble.
- DO NOT tighten all screws and bolts until completely assembled.
- Keep all hardware parts out of reach of children.

WARNING:

Long exposure to rubber or soft plastic may cause a chemical reaction and damage the finish of your table. Protect the surface of the table with cloth if you are using any product with rubber feet or base.

PART LIST

When unpacking, please be careful not to discard any parts with the packaging. Before continuing, please make sure you have the following parts:

NO	Description	Qty	Sketch	NO	Description	Qty	Sketch
А	Тор	1		В	Center leg	1	
С	Right leg	1		D	Left leg	1	
E	Mounting plate	1		F	Wood slide	2	0

ITEM NO : REVISED MAR 07, 2015 Printed in Vietnam


HARDWARE LIST

When unpacking, please be careful not to discard any parts with the packaging. Before continuing, please make sure you have all of the following hardware:

NO	Description	Qty	Sketch	NO	Description	Qty	Sketch
1	Long Bolt (Móx100mm)	2		2	Lock washer (Ф6.5x11mm)	14	\bigcirc
3	Small Flat washer (Φ6.5x13mm)	6	\bigcirc	4	Large Flat washer (Ф6.5x19mm)	8	
5	Short Bolt (Móx45mm)	12		6	Allen key (M4x80mm)	1	
7	Wood button (Φ14.5mm)	2	\bigcirc				

STEP 1


Attach right leg (C) to the center leg (B) and left leg (D) with Long bolts (1) and washers (2) and (3), as shown below. Tighten with the Allen key (6).



STEP 2


Place the plate on top of the pedestal (E), attach with short bolts (5) , and washers (2) and (3) as shown below. Tighten with the Allen key (6).

Insert the wood slides (F) into the groove of the mouting plate.



STEP 3


Carefully place the base (from step 2) on the bottom side of the top (A). Attach the mounting plate to top (A) with short bolts (5) and washers (2) and (4). Tighten with Allen key (6).



STEP 4

Insert wood buttons (7) over bolts to cover them.

Hold the dropleaf push and slide the wooden piece from underneath the table top. To lower the dropleaf, carefully hold the dropleaf with one hand and slide the wooden piece from underneath the table top towards the center of the top. Then, gently lower the leaf and place in the down position.



Printed in Vietnam