


MODEL:IG10600166C-612N



OWNER'S MANUAL

The Smoke Shack 6'x12' Hard Top Grill Gazebo

TABLE OF CONTENTS

ASSEMBLY GUIDE.....	02
USING YOUR PRODUCT.....	03

March 02, 2026

QUESTIONS?



E-mail: Support@coveredoutdoor.com



















Toll-Free Number: 888-898-2263











Mon-Fri: 9:00 AM -5:00 PM PST

ASSEMBLY GUIDE

PARTS LIST

A1 Post 1 (1piece) 	A2 Post 2 (1piece) 	A3 Post 3 (1piece) 	A4 Post 4 (1piece) 	B Foot Base (4pieces) 	C Foot Cover (4pieces) 
P0010006901	P0010007001	P0010007101	P0010007201	P0030000105	P0020000105
D1 Cross Beam 1 (2pieces) 	D2 Cross Beam 2 (2pieces) 	D3 Cross Beam 3 (1piece) 	D4 Cross Beam 4 (1piece) 	E1 Support Bracket 1 (2pieces) 	E2 Support Bracket 2 (2pieces) 
P0040015401	P0040015501	P0040015601	P0040015701	P0050007801	P0050007901
E3 Support Bracket 3 (1piece) 	E4 Support Bracket 4 (1piece) 	E5 Support Bracket 5 (1piece) 	E6 Support Bracket 6 (1piece) 	F Middle Cross Beam (3pieces) 	G1 Connector 1 (2pieces) 
P0050008001	P0050008101	P0050008201	P0050008301	P0080001901	P0060007601
G2 Connector 2 (2pieces) 	G3 Connector 3 (3pieces) 	G4 Connector 4 (3pieces) 	G5 Connector 5 (4pieces) 	G6 Connector 6 (6pieces) 	H Shelf (2pieces) 
P0060007701	P0060007801	P0060007901	P0060004902	P0060010301	P0140002301
J Top Beam (8pieces) 	K Roof Border (8pieces) 	L1 Roof Plate Border 1 (2pieces) 	L2 Roof Plate Border 2 (2pieces) 	L3 Roof Plate Border 3 (1piece) 	L4 Roof Plate Border 4 (1piece) 
P0090014601	P0090014701	P0120004001	P0120004101	P0120003702	P0120003802
M Roof Plate (12pieces) 	N Hook (1piece) 	P Bottle opener (1piece) 			
P0130007499	P1000001502	P1000001201			

HARDWARE PACK

AA Bolt M6*15 (140+7pieces) 	BB Bolt M6*35 (16+1pieces) 	CC Ball nut M5 (39+2pieces) 	DD M6 Flat washer (156+8pieces) 	EE M5 Flat Washer (39+2pieces) 	FF M5 Sealant Washer (39+2pieces) 
H0008008001	H0008008116	H0008008164	H0008008057	H0008008056	H0008008059
GG Concrete Anchor M6*60 (8pieces) 	HH Wrench M6 (2pieces) 	JJ M6 Allen Key (1piece) 	KK M6 Allen Key with Screw Driver (1piece) 	LL Plastic Clip 22 (16+2pieces) 	MM M6 Hex drill bit (1piece) 
H0008008095	H0008008011	H0008008133	H0008008132	H0008008114	H0008008209
NN Phillips drill bit (1piece) 	TT Double-ended screw M5*39 (39+2pieces) 				
H0008008215	H0008008163				

IMPORTANT:
 This instruction manual contains important information necessary for the proper assembly and safe use of the product.
 Read and follow all warnings and instructions before assembling and using the product.
 Follow all warnings and instructions when using the product.
 Keep this manual for future reference.
 Installer/Assembler: leave these instructions with the consumer.


DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.


WARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.


CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.


NOTICE

Indicates information considered important, but not hazard-related (e.g.messages related to property damage).

ASSEMBLY INSTRUCTIONS

- Please carefully unpack each of the components and hardware. check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

⚠ CAUTION

Watch for sharp edges when handling the pieces, wear gloves to avoid injury.






- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. Tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.

STEP 01#

Slide foot base **B** and foot cover **C** onto post **A1**. Use two (2) **[AA]** bolts and two (2) **[DD]** flat washers to attach foot base **B** to post **A1**. Repeat with posts **A2**, **A3** and **A4**.

[AA] x8

[DD] x8




STEP 02#

Slide cross beam **D1** and **D2** into connector **G1**, securing with four (4) **[AA]** bolts and four (4) **[DD]** flat washers on the top, two (2) **[AA]** bolts and two (2) **[DD]** flat washers on the front.

Use one (1) **[AA]** bolt and one (1) **[DD]** flat washer to attach one (1) connector **G2** to **G1**.

Use one (1) **[AA]** bolt and one (1) **[DD]** flat washer to attach one (1) connector **G3** to **G1**.

Use one (1) **[AA]** bolt and one (1) **[DD]** flat washer to attach each connector **G3** to cross beam **D1** and **D2**.


**STEP 03#**

Slide cross beam **D1** and **D2** into connector **G1**, securing with four (4) **[AA]** bolts and four (4) **[DD]** flat washers on the top, two (2) **[AA]** bolts and two (2) **[DD]** flat washers on the front.

Use one (1) **[AA]** bolt and one (1) **[DD]** flat washer to attach one (1) connector **G2** to **G1**.

Use one (1) **[AA]** bolt and one (1) **[DD]** flat washer to attach one (1) connector **G4** to **G1**.

Use one (1) **[AA]** bolt and one (1) **[DD]** flat washer to attach each connector **G4** to cross beam **D1** and **D2**.



STEP 04#


Use two (2) [LL] plastic clips, two (2) [AA] bolts and two (2) [DD] flat washers to attach each end of cross beam assembly **D1** **D2** to post **A1** and **A2**.

Repeat with the other assembly **D1** **D2** to post **A3** and **A4**.

[AA] x8

[DD] x8

[LL] x8

**STEP 05#**


Use two (2) [LL] plastic clips, two (2) [AA] bolts and two (2) [DD] flat washers to attach each end of cross beam **D3** to post **A1** and **A4**.

Repeat with cross beam **D4** to post **A2** and **A3**.

[AA] x8


[DD] x8

[LL] x8



STEP 06#


CRITIAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.



STEP 07#

Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) the lower end of support bracket E1 to post A1. use two (2) [BB] bolts and two (2) [DD] flat washers to attach the upper end of support bracket E1 to cross beam. Repeat with the other E2, E3, E4, E5 and E6.

- [AA] x16
- [DD] x32
- [BB] x16




STEP 8#

Use three (3) [AA] bolts and three (3) [DD] flat washers to attach each connector **G5** to the post. Repeat with the other three (3) connectors **G5**.

[AA] x12


[DD] x12

**STEP 9#**

Use two (2) [AA] bolts and two (2) [DD] flat washers to attach each end of shelf **H** to connector **G5** on the post. Position the end with the perforated bottom side facing towards the interior of the product. Repeat with the other shelf **H**.

[AA] x8

[DD] x8




STEP 10#

Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) hook **N** to shelf **H**.
Use two (2) [AA] bolts and two (2) [DD] flat washers to attach bottle opener **P** to post **A2**.

[AA] x4


[DD] x4

**STEP 11#**

Pay attention to the marking on Beam **F**. The directional arrow points to the front end of the component. Please carefully identify the orientation during installation to avoid affecting the subsequent assembly. Use two (2) [AA] bolts and two (2) [DD] flat washers to attach each end of middle cross beam **F** to connector **G3** and **G4** on cross beam assembly **D1** **D2**. Repeat with the other two (2) middle cross beam **F**.

[AA] x12

[DD] x12




STEP 12#

Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) top beam **J** to cross beam **D3/D4** and middle cross beam **F**. repeat with the other three (3) top beams **J**. Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) top beam **J** to middle cross beams **F**. repeat with the other three (3) top beams **J**.

[AA] x16


[DD] x16

**STEP 13#**

Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) roof border **K** to cross beam **D3/D4** and middle cross beam **F**. repeat with the other three (3) roof border **K**. Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) roof border **K** to middle cross beams **F**. repeat with the other three (3) roof border **K**.

[AA] x16


[DD] x16



STEP 14#

Attach thirty-nine (39) double head screws [TT] to Roof Border **K** and Top Beam **J**.

[TT] x39



STEP 15#


DO NOT tighten the bolts completely until all the bolts and washers are properly installed.

Use one (1) [CC] bolt, one (1) [EE] Flat washer and one (1) [FF] sealant washer to attach roof plate border **L3** with roof plate **M** to cross beam **D3**.

[CC] x1

[EE] x1

[FF] x1



STEP 16#


Overlap the edges of the adjacent roof plates together.

Use one (1) [CC] bolt, one (1) [EE] Flat washer and one (1) [FF] sealant washer to attach each middle hole of roof plate **M** to the frame.

[CC] x2

[EE] x2

[FF] x2

**STEP 17#**


Overlap the edges of the adjacent roof plates together.

Use one (1) [CC] bolt, one (1) [EE] Flat washer and one (1) [FF] sealant washer to attach each middle hole of roof plate **M** to the frame.

[CC] x8

[EE] x8

[FF] x8



STEP 18#


Use one (1) [CC] bolt, one (1) [EE] Flat washer and one (1) [FF] sealant washer to attach middle hole of roof plate **M** to the frame.

Use one (1) [CC] bolt, one (1) [EE] Flat washer and one (1) [FF] sealant washer to attach roof plate border **L4** with roof plate **M** to cross beam **D4**.

[CC] x2

[EE] x2

[FF] x2




STEP 19#

Use one (1) [CC] bolt, one (1) [EE] Flat washer and one (1) [FF] sealant washer to attach each hole of roof plate border **L1** and **L2** to the frame and roof plate border **L3/L4**.

[CC] x26

[EE] x26

[FF] x26




STEP 20#

Use two (2) [AA] bolts and two (2) [DD] flat washers to attach each connector **G6** to post **A3**. Repeat with the other two (2) **G6**. Repeat with the other three (3) connectors **G6** to post **A4**.


[AA] x12

[DD] x12

**STEP 21#**



Use two (2) [GG] expansion bolts to anchor each post foot base **B**. please make sure the expansion bolts are fully anchored. We recommend using a 3/8 inch drill bit when installing the included expansion bolts.

[GG] x8



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 21, on page 14 in the assembly instructions is not properly completed, this will void the warranty.

! WARNING! If your gazebo is not properly anchored, damage could occur. It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.

WOOD	CONCRETE
	
Anchors should be drilled into joists or reinforced blocking (not only deck boards).	Pre-drill holes for appropriately sized concrete anchors.
	
Recommended Hardware: Expansion Bolt	Recommended Hardware: Expansion Bolt

If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

! CAUTION

DO NOT climb or walk on roof for any reason.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
 - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
 - As load bearing support for a building, structure, heavy objects or swings.
 - Used in structures that trap wind, rain or snow that would create extra load on the product.
 - Accumulated snow must be removed from roof.
 - DO NOT climb or walk on roof for any reason.

LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts;
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

