



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

62-2025 - Geneva; 18 Inch LED Pendant; Matte Black; Silk Screened Acrylic Lens



ELECTRICAL

| | |
|----------------------------|---------------------------|
| Technology: | LED |
| Watts: | 24W |
| Volts: | 120V |
| Lumens: | 1920L |
| Lamp Base : | Integrated |
| CRI: | 90 |
| CCT (Kelvins): | 3000K |
| Hours Rated: | 30000 |
| Dimmable: | Yes-Dimmable |
| Dimmable Down To %: | 100 to 10 percent |
| Dimming Type : | Triac |
| Lamp Included : | Integrated |
| Replaceable Light Source : | No |
| Power Factor : | 0.9 |
| Warranty: | 3 Year Limited - Fixtures |

PACKAGING

| | |
|------------------|----------------------|
| Each UPC: | 045923620188 |
| Each Quantity: | 1 |
| Each Dimensions: | 20.47 x 20.47 x 7.87 |
| Case UPC: | 10045923620185 |
| Case Quantity: | 1 |
| Case Dimensions: | 20.47 x 20.47 x 7.87 |

PHYSICAL

| | |
|----------------|--------------------|
| Finish: | Matte Black |
| Lens Finish: | Silk Screened |
| Lens Material: | Acrylic |
| Dimensions: | H:4.75" DIA:17.75" |
| Height Max: | 42.38 |
| Weight (Lbs.): | 8.38 |
| Material: | Steel |

INSTALLATION

| | |
|----------------------------|---------|
| Sloped Ceiling Compatible: | Yes |
| Wire Length: | 108 in. |

COMPLIANCE

| | |
|------------------|-----------------|
| Safety Listing: | cETLus - Listed |
| Location Rating: | Dry |
| Indoor/Outdoor: | Indoor |
| CA Prop 65: | Lead |
| FCC Compliant: | Yes |
| RoHS Compliant: | Yes |
| Restrictions: | No Restrictions |



62-2263 - Longford; 36 Inch LED Island Pendant; Textured Black;
Acrylic Lens

ACCESSORIES



62-2271 - Bowman; 36 Inch LED Island Pendant; Matte Black;
Acrylic Lens

ACCESSORIES



62-2272 - Bowman; 36 Inch LED Island Pendant; Brushed Nickel; Acrylic Lens

ACCESSORIES



62-2003 - Darrow; 24 Inch LED Pendant; Matte Black; Acrylic Panels

ACCESSORIES



62-2013 - Darrow; 24 Inch LED Pendant; Vintage Brass;
Textured Acrylic Panels

ACCESSORIES

| | |
|-------------------|---------|
| Glass 1: | 25-346 |
| Glass 2: | 25-2346 |
| 6 Inch Stem: | 25-498 |
| 6 Inch Stem Qty: | 2 |
| 12 Inch Stem: | 25-499 |
| 12 Inch Stem Qty: | 2 |