











Assembly Instruction




CZ2079-001


Sofa & Couch

PARTS LIST


 Left Back Frame X 1 PC	 Right Back Frame X 1 PC	 Left Armrest X 1 PC
 Right Armrest X 1 PC	 Left Front Rail X 1 PC	 Right Front Rail X 1 PC
 Seat Cushion X 2 PCS	 Back Cushion X 2 PCS	 Pillow X 2 PCS




Seat Panel
X 2 PCS




Rear Rail
X 2 PCS




Middle Connector
X 1 PC




Front Middle Leg
X 1 PC




Rear Middle Leg
X 1 PC




Bracket
X 2 PCS





Connector
X 1 PC



Plug-in
X 1 PC




Leg
X 4 PCS

 Screw 40mm X 6 PCS	 Screw 20mm X 8 PCS	
---	---	--

ASSEMBLY GUIDE


STEP 1

Some parts will be found in the compartment under the Armrests, as shown.




STEP 2

Attach Bracket **O** x 2 to Armrest **C** & **D** with Screw **T** x 4, as shown.




STEP 3

Manually Screw **R** x 4 to Armrest **C** & **D**, as shown.



STEP 4


Attach Front Middle Leg **M** to Front Rail **E** & **F** with Screw **T** x 2, as shown.



STEP 5

Attach Front Rail **E** & **F** to Armrests **C** & **D** by inserting the brackets on Front Rail **E** & **F** into the metal plate on Armrests **C** & **D**, as shown.

Push Front Rail **E** & **F** with a downward force to secure it into place.




STEP 6

Attach Rear Rail **K** x 2 to Bracket **O** x 2 & Rear Middle Leg **N**.


6.1 Attach Rear Rail **K** x 2 to Rear Middle Leg **N** with Screw **S** x 2.

6.2 Attach Rear Rail **K** x 2 to Bracket **O** x 2 with Screw **S** x 2, as shown.




STEP 7

Attach Middle Connector **L** to Front Middle Leg **M** & Rear Middle Leg **N** with Screw **S** x 2, as shown.




STEP 8

Connect Back Frame **A** & **B** using Connector **P**, as shown.



STEP 9

Attach Plug-in **Q** to Back Frame **A** & **B** with Screw **T** x 2, as shown.




STEP 10

Attach Back Frame **A** & **B** to Armrest **C** & **D** by inserting the brackets on Back Frame **A** & **B** to the metal glides on Armrest **C** & **D**.


Attach Back Frame **A** & **B** to Rear Middle Leg **N** by inserting the Plug-in **Q** on Back Frame **A** & **B** to Rear Middle Leg **N**.

Push Back Frame **A** & **B** downwards to secure it into place.



STEP 11


Stick fabric cover on Back Frame **A** & **B** to Armrests **C** & **D** with the velcro strips. Stick fabric cover on Left Back Frame **A** to Right Back Frame **B** with the velcro strips, as shown.



STEP 12

Unfold Seat Panel **J** x 2.


Place Seat Panel **J** x 2 onto the seat using the Velcro strips.




STEP 13

13.1 Remove Seat Cushion **G** x 2, Back Cushion **H** x 2 and Pillow **I** x 2 from their vacuum sealed package.

13.2 Place Seat Cushion **G** x 2, Back Cushion **H** x 2 and Pillow **I** x 2 onto the sofa.



Note: The cushions have been vacuum packed for transportation purposes. After unpacking, please allow up to 72 hours so that it can return to its original shape.



AFTER-SALES SERVICE

Thank you for choosing our product! We are committed to ensuring your satisfaction and providing excellent after-sales support. If you have any questions or concerns after receiving your order, please feel free to contact us. We are here to help!

What to Include in Your Message:

To help us resolve your issue as quickly as possible, please provide the following details:

1. Your order number.
2. A description of the issue or concern.
3. Any relevant photos or videos (if applicable).

Our customer support team will respond to your inquiry, and we will do our best to ensure a smooth and hassle-free experience.

4. After-Sales Service Email Address: service@seedsechome.com

FAQ

Q: How long will it take for the product to regain its shape after unpacking?

A: The product is vacuum-compressed for transportation, and it may take up to 72 hours to regain its original shape.

Q: What should I do if there are wrinkles on the product?

A: If you notice any wrinkles on the product, you can use an iron to gently smooth them out. Please ensure the iron is set to a low or medium heat setting and avoid direct contact with the fabric for an extended period to prevent damage. If you are unsure, test on a small, inconspicuous area first.

Q: Will the product color look exactly as shown online?

A: Due to variations in monitor settings, lighting, and production batches, slight-color differences may occur.