








CARE AND MAINTENANCE

Spot clean using a mild water-free solvent. Only a professional cleaner should undertake a complete overall cleaning.
The use of steam or water-based cleaners may cause excessive shrinking or staining.


NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening


Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
A	top box		1X
B	bottom box		1X
C	metal part		2X
HW1	bolt 6x1.0x14MM		6x
HW2	wrench		1x
HW3	allen key		1x
HW4	wheel		3X

DIMENSIONS: 28.6"L x 15.2"D x 26.5"H



WEIGHT CAPACITY: 275 LBS

HW5	wheel		1X	WARNING: DO NOT STAND ON TROLLEY WARNING: DO NOT OVER TORQUE BOLTS/SCREWS


PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.


If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key



STEP1 assemble the metal frame and the body



STEP2 assemble the wheel