













TABLE TENNIS









If you have any product related questions,
please feel free to contact us.
Email: AwevscoHelp@outlook.com




PARTS IDENTIFIER

1 Top Board - A  NOT REPLACEABLE x2	2 Top Board - B  NOT REPLACEABLE x2	3 Inner Leg  x2	4 Outer Leg with Caps  x2	5 Linkage Tube  x2	6 Linkage Tube with Stop Bracket  x2	7 Bracket - U  x12
8 Bracket  x6	9 Gravity Lock  x2	10 Corner Cap  x4	11 Caster  x4	12 H Frame with Spreader  x2	13 Post - Table Tennis Net ping-pong  x2	14 Table Tennis Net  x1
15 Safety Strap - Short  x1	16 Safety Strap - Long  x2	17 Paddle  x2	18 Ball Ping Pong  x 3	19 End Panel  x2	20 Side Panel  x4	21 Leveler  x4

A TM:6X55mm  x 8+1	B TM:6X45mm  x 8+1	C TM:6X40mm  x2	D Screw  x115+5	E Washer  x36+3	F Washer - T-Style  x2	G Spacer  x8
H Nut  x18+2	I Wrench  x1	J Allen Key  x1	K Allen Key  x 1			

No Incluido




**DRILL
(RECOMMENDED)**

1




We suggest flattening the box to build the table on. This will supply a clean flat surface to protect the table tops. Be sure to remove all staples.


It is recommended to place wear-resistant blankets on the floor.




2




3







4



5




NOTE: Notch in Leg Brackets should face "IN" towards the center of the table.




DO NOT Overtighten Screws.

6





NOTE: Notch in Leg Brackets should face "IN" towards the center of the table.



7

Repeat for both
Table Tennis Tops.





The Linkage Tube connects to the Inner Leg from the outside, and the Outer Leg from the Inside.
Repeat for both Linkage Tubes.
DO NOT FULLY TIGHTEN BOLTS.

8


Repeat for both
Table Tennis Tops.

Répéter pour les deux
dessus de table de tennis.




The Linkage Tube with Stop Bracket connects to the Inner Leg from the outside, and the Outer Leg from the Inside.
Repeat for both Linkage Tubes.
DO NOT FULLY TIGHTEN BOLTS.


9



10



11




12



Using at least TWO ADULTS, flip each half of the table over. DO NOT lean the table on the Legs. DO NOT leave free standing table unattended. Lean the Player End against a wall or have a third adult hold the table half in place.





Repeat for both Table Tennis Tops.



13

Keep gentle inward pressure on each end of the table until both halves have been bolted together.





14

Repeat for second Gravity Lock.
DO NOT overtighten Bolts.




IMPORTANT: Before moving to the next step, make sure that all Screws and Bolts are tight on the table.



GRAVITY LOCK


Player End




GRAVITY LOCK

Player End


A - NET ASSEMBLY




B



A - STORAGE POSITION




B



Repeat for both Table Tennis Tops.

C

Make sure Gravity Locks engage on both sides of table when putting Table into the Storage Position.



Make sure to secure Safety Straps after table tops are flipped up and Gravity Locks engage.

