
LED Bathroom Mirror

Instruction Manual



1 Before Assembly

Thank you for your purchase. This instruction is aimed at helping you complete the installation. Since the product contains fragile glass, you need to protect yourself from cuts and keep it away from your children during installation.

Assembly Tips

- Check the list of contents before assembly to ensure that all parts are included in the package.
- Make sure the wall can bear the weight of the mirror.
- Do not use string or chain to hang the product.


Care Advice

- Before using, clean with warm water and a soft, lint-free cloth.
- Check all the screws and bolts are tight every three months or as needed.
- Clean with an ammonia-free glass cleaner or detergent.
- Avoid spraying cleaners directly onto the mirror.


Note: This product contains fragile glass. Do not knock or squeeze it.

DISCLAIMER: Glass products are fragile, and may cause injury. Please keep your children away during installation. Before use, please be aware that our company won't take any responsibility for any damage that occurs during use.

If you encounter any problems with our product, please contact us as soon as possible.



Mirror **x1**




Tools Required (Not Provided)



3 Usage Method

Choose one of the ways you want to use based on your product.



Wall-Mounted


Leaning

NOTE: Ensure the mirror is securely against the wall and stable to prevent it from falling and breaking.


4 Wall-Mount installation

Available in both vertically and horizontally wall-mounted.

- ①Position the mirror against the wall to determine the final placement. Use a position ruler to mark the drilling spots.
- ②After drilling the holes, insert the Expansion Tube and secure the Mounting Plate with Screws.
- 3 Hang the mirror frame on the Mounting Plate and ensure it is firmly attached.



4 Wall-Mount installation



5 Button Description




Button 1: Short press on the button 1 to open or stop the anti-fog function.

Button 2: Short press on the button 2 to switch the light color (6500K-4000K-3000K).

Button 3: Short press on the button 3 to change the light mode (both lights, backlight, frontlight, lights off). Long press to adjust the light brightness.(Note: There will be a 1-2 second delay when turning off the light on the 4th short press.

Note: This product contains fragile glass. Do not knock or squeeze it.



Technical Support

Thank you for choosing this product. We strive to provide you with the best quality products and service in the industry. Should you have any issues, please don't hesitate to contact us.