



Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11

Applicant: Jiangsu Haoran E-commerce Co., Ltd
Address: ZhongGuo (JiangSu) ZiYouMaoYiShiYanQu SuZhouPianQu
SuZhouGongYeYuanQu JiXianJie 88 Hao 1 HaoLou 5 Ceng 509 Shi.
Manufacturer: DongGuanShi YuBang ZhiNengJiaJu YouXianGongSi
Address: GuangDongSheng DongGuanShi QiaoTouZhen QiaoTouQiaoDongLu
NanErJie 160 Hao 3 Lou 102 Shi.
Sample Name: Dresser&DRAWER CHEST
Model number: HR-1DG6
Labeled age grading: 12+
Requested age grading: 12+
Age group applied in testing: 12+
Sample Received Date: 2025-07-02
Test Period: 2025-07-02 to 2025-12-10
Test Result: Refer to following page(s)
Remark: The result relates only to the items tested.

Guangdong Asia Hongke Test Technology Co.,Ltd.

Prepared by:

Oliver

Name: Oliver
Testing Engineer

Reviewed by:

Lizhen

Name: Lizhen
Authorize Signature





Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11

Test Requested		Conclusion
A	1.16 CFR Part 1261 SAFETY STANDARD FOR CLOTHING STORAGE UNITS	Pass
	2.ASTM F2057 – 23 Standard Safety Specification for Clothing Storage Units	Pass
B	16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead- Containing Paint CPSIA Sec.101.(f) Total Lead in Paints and Surface Coatings	Pass
C	CPSIA Sec.101.(a) Total Lead in Substrate Materials 15 U.S.C. § 1278a Lead in Children's products	Pass
D	CPSIA Sec.108 Determination of Phthalates USA 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
E	40 CFR PART 770—FORMALDEHYDE STANDARDS FOR COMPOSITE WOOD PRODUCTS	Pass
F	- CPSA Section 14(a) (5) Tracking Labels for Children's Products (15 USC § 2063(a)(5) (CPSA))	Pass



Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11

Test Results :

A.1 16 CFR Part 1261 SAFETY STANDARD FOR CLOTHING STORAGE UNITS

Clause	Description	Result
§ 1261.2	Requirements for clothing storage units.	
	Each clothing storage unit that is subject to ASTM F2057-23, Standard Safety Specification for Clothing Storage Units, approved on February 1, 2023, shall comply with ASTM F2057-23.	Pass (see test result of ASTM F2057)

A. 2 ASTM F2057 – 23 Standard Safety Specification for Clothing Storage Units

Clause	Description	Result
4	Performance Requirements	--
4.1	With the unit set up in accordance with 8.1, and without the anti-tip device, test the unit in accordance with 9.2.1, 9.2.2, and 9.2.3	Pass
4.2	During the test, the unit shall not tip over or be supported by any component unless that component was specifically designed for that purpose	Pass
4.3	If a failed component prohibits the completion of the test, then the failed component(s) shall be repaired or replaced to the original specifications, or the component replaced and the test repeated with the failed component secured as to not affect the test results but to prevent the component from failing	Pass
4.4	An anti-tip device shall be included with each item of furniture covered under the scope of this safety specification for attachment by the consumer	Pass
4.5	The anti-tip device provided shall meet the requirement of Specification F3096	Pass
4.6	Interlock Requirements	Pass
9	Test Procedure	--
9.1	Test to Evaluate Interlock System	Pass
9.2	Stability Test Methods	Pass
9.3	Permanency of Labels and Warnings Testing	Pass
10	Marking and Labeling	
10.1	Warnings on Product	Pass
10.2	Warnings Format and Content	Pass



Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11

Tested part(s):

1. Wood block
2. White coating
3. Golden coating
4. Black coating
5. Light blue coating
6. White slide rail
7. Brown coating
8. Oak-colored coating

B. 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead-Containing Paint

CPSIA Section 101.(f), Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1, analyzed by Inductively Coupled Plasma-Optical Emission Spectrometry(ICP-OES).

Item	Unit	MDL	Results			Limit
			2+3+4	5	7+8	
Lead Content (Pb)	mg/kg	10	ND	ND	ND	90
Conclusion	/	/	Pass	Pass	Pass	/

C. CPSIA Section 101.(a), Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.2 (Metal), CPSC-CH-E1002-08.2 (Non-Metal) , analyzed by Inductively Coupled Plasma-Optical Emission Spectrometry(ICP-OES).

Item	Unit	MDL	Results	Limit
			1+6	
Lead Content (Pb)	mg/kg	10	ND	100
Conclusion	/	/	Pass	/



Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11

D. CPSIA Section 108, Determination of Phthalates

USA 16CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Test Method: CPSC-CH-C1001-09.4, analyzed by Gas Chromatography with Mass Spectrometry(GC-MS).

Item	CAS No.	Unit	MDL	Results			Limit
				1	2+3+4	5+7+8	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	50	ND	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	mg/kg	50	ND	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	ND	ND	ND	1000
Di-n-pentyl phthalate (DPENP)	131-18-0	mg/kg	50	ND	ND	ND	1000
Conclusion	/	/	/	Pass	Pass	Pass	/

E. USA 40 CFR PART 770 - FORMALDEHYDE STANDARDS FOR COMPOSITE WOOD PRODUCTS

Test method: According to the ASTM E1333-14, Chamber formaldehyde concentration in air at test conditions, chamber formaldehyde concentration in air corrected to 25°C (77°F), 50 % relative humidity.

Item	Unit	MDL	Results	Limit
Formaldehyde Emissions	ppm	0.01	ND	See the next remarks(a)
Conclusion	/	/	Pass	/

Remarks:

Item	Limit (ppm)
(a) for hardwood plywood	0.05 ppm
(b) for particleboard	0.09 ppm
(c) for medium-density fibreboard	0.11 ppm
(d) for thin medium-density fibreboard	0.13 ppm
(e) for a laminated product	0.05 ppm

Exemption — laminated products



Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11

(4) A manufacturer of laminated products is not required to have the selection, testing and verification referred to in subsection (1) performed for a product type if

(a) in the case of a product type whose core or platform is a composite wood panel, formaldehyde emissions from the core or platform, prior to incorporation into the laminated product, do not exceed the applicable limit set out in subsection 6(1) or the correlated limit referred to in subsection 6(2); and

(b) the veneer is glued to the core or platform using a phenol-formaldehyde resin or a no-added-formaldehyde resin.

Note: - N.D. =Not Detected or less than MDL.

- MDL=Method Detection Limit.

- NA= Not Applicable

- %=Percentage by weight.

- 0.1%=1000mg/kg, mg/kg=ppm.

F. CPSA Section 14(a) (5) Tracking Labels for Children's Products (15 USC §2063(a)(5) (CPSA))

Applicable Section	Description	Result
(a)(5) (A)	Effective 1 year after the date of enactment of the Consumer Product Safety Improvement Act of 2008, the manufacturer of a children's product shall place permanent, distinguishing marks on the product and its packaging, to the extent practicable, that will enable—	Pass
(i)	the manufacturer to ascertain the location and date of production of the product, cohort information (including the batch, run number, or other identifying characteristic), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks; and	Pass
(ii)	the ultimate purchaser to ascertain the manufacturer or private labeler, location and date of production of the product, and cohort information (including the batch, run number, or other identifying characteristic).	Pass
(B)	The Commission may, by regulation, exclude a specific product or class of products from the requirements in subparagraph (A) if the Commission determines that it is not practicable for such product or class of products to bear the marks required by such subparagraph. The Commission may establish alternative requirements for any product or class of products excluded under the preceding sentence consistent with the purposes described in clauses (i) and (ii) of subparagraph (A).	Pass
(b)	The Commission may, by regulation, exclude a specific product or class of products from the requirements in subparagraph (A) if the Commission determines that it is not practicable for such product or class of products to bear the marks required by such subparagraph. The Commission may establish alternative requirements for any product or class of products excluded under the preceding sentence consistent with the purposes described in clauses (i) and (ii) of subparagraph (A).	Pass



Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11

Applicable Section	Description	Result
(c)	The Commission may by rule require the use and prescribe the form and content of labels which contain the following information (or that portion of it specified in the rule) —	Pass
(1)	The date and place of manufacture of any consumer product.	Pass
(2)	The cohort information (including the batch, run number, or other identifying characteristic) of the product.	Pass
(3)	A suitable identification of the manufacturer of the consumer product, unless the product bears a private label in which case it shall identify the private labeler and shall also contain a code mark which will permit the seller of such product to identify the manufacturer thereof to the purchaser upon his request.	Pass
(4)	In the case of a consumer product subject to a consumer product safety rule, a certification that the product meets all applicable consumer product safety standards and a specification of the standards which are applicable. Such labels, where practicable, may be required by the Commission to be permanently marked on or affixed to any such consumer product. The Commission may, in appropriate cases, permit information required under paragraphs (1) and (2) of this subsection to be coded.	Pass
(d)	REQUIREMENT FOR ADVERTISEMENTS.—No advertisement for a consumer product or label or packaging of such product may contain a reference to a consumer product safety rule or a voluntary consumer product safety standard unless such product conforms with the applicable safety requirements of such rule or standard.	Pass
(e)	WITHDRAWAL OF ACCREDITATION-	Pass
(f)	DEFINITIONS.--In this section	Pass
(g)	REQUIREMENTS FOR CERTIFICATES.-- (1) IDENTIFICATION OF ISSUER AND CONFORMITY ASSESSMENT BODY.--Every certificate required under this section shall identify the manufacturer or private labeler issuing the certificate and any third party conformity assessment body on whose testing the certificate depends. The certificate shall include, at a minimum, the date and place of manufacture, the date and place where the product was tested, each party's name, full mailing address, telephone number, and contact information for the individual responsible for maintaining records of test results.	Pass
(h)	RULE OF CONSTRUCTION.	Pass
(i)	ADDITIONAL REGULATIONS FOR THIRD PARTY TESTING	Pass

Supersede:

This test report is used to replace the test report numbered AiTSZ-250702071R. The original paper report and electronic version report of AiTSZ-250702071R are invalid accordingly.

Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11

Photo of the Submitted Sample



Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11



Test Report

Report No.: AiTSZ-250702071RRev1

Dated: 2025-12-11



Product Name:	Dresser&DRAWER CHEST
Applican:	Jiangsu Haoran E-commerce Co., Ltd
Applicant Address:	ZhongGuo (JiangSu) ZiYouMaoYiShiYanQu SuZhouPianQu SuZhouGongYeYuanQu JiXianJie 88 Hao 1 HaoLou 5 Ceng 509 Shi.
Manufacturer:	DongGuanShi YuBang ZhiNengJiaJu YouXianGongSi
Manufacturer Address:	GuangDongSheng DongGuanShi QiaoTouZhen QiaoTouQiaoDongLu NanErJie 160 Hao 3 Lou 102 Shi.
Importer:	MMAMUN
Importer Address:	526 Lincoln avenue, Brooklyn, ny, 11208
Age of application:	12+
Batch:	HaoRan-202506
Date of manufacture:	2025-06-10

MADE IN CHINA

WARNING:

CHOKING HAZARD—small parts.

Not for children under 3 years.



*** End of Report ***