



THANKS FOR WATCHING

Your feedback is invaluable to us and we would love to hear about your experience. Please take the time to leave us a review.

Installation Manual- BV B08328
BV B08332

**MOTIVATE
YOUR LIFE !**



Thank you for shopping with us!


We encourage you to take a few minutes to go through this booklet. It contains important information on installation and care tips to keep your furniture looking as good as new.

Item NO.:BV B08328 / BV B08332


Hardware

NO.	Draw	QTY	NO.	Draw	QTY
A	 Screws Ø4x14mm	44	J	 Hinges (Internal hiding)	4
B	 Two-in-one connector	15	K	 Handle	2
C	 Two-in-one connector	15	L	 Screws (M4x22mm)	4
D	 Wood plug	4	M	 Feet	4
E	 Plastic anchor(Ø10mm)	2	N	 Screws M4x14mm	16
F	 Screws for fix on the wall	2	O	 Anti-collision gasket	2
G	 Bracket (53x70x44mm)	2	P	 Movable laminate support	4
H	 Bracket (19x19x35mm)	2	Q	 Screwdriver	1
I	 Door stopper	2			

Recommended tools




Dimensions



CARE CLEANING AND MAINTENANCE


1. Dust regularly with a soft , dry cloth.
2. Avoid the use of all chemicals household cleaners, abrasives, or cleaners that contain lemon, vinegar, or other acids that may damage the finish.
3. Excessive exposure to sunlight and extreme changes in temperature and moisture can damage wood furniture.
4. The sink top is resilient, but care needs to be taken to preserve its appearance.
5. Do not place hot appliances, such as curling irons and hot hair dryers directly on the countertop. Wipe spills immediately.

Step 14




Notes:
The installation position can be selected
according to the required height.


Finished



Dimensions






Components




Step 1

-  x3
-  x3
-  x1




Notes: Screw installation depth as shown





Attention: Cam lock arrow point to the steel rod.

Step 2

-  x3
-  x3
-  x2
-  x1



Note: The D parts are used for these two holes




first step

second step


third step





Step 12

-  x2
-  F
-  x1




Step 13






Step 5




	x2
G	
	x2
H	
($\varnothing 4 \times 14\text{mm}$)	x20
A	
	Tool

Step 7




	x4
J	
($\varnothing 4 \times 14\text{mm}$)	x24
A	
	x2
I	
	Tool

You can adjust the doors by tightening or loosening the screws on the hinge. →




Step 6



	x4
M	
(M4 x 14mm)	x16
N	
	Tool

Step 8



	x2
K	
(M4 x 22mm)	x4
L	
	x2
O	
Q	