Please do not hesitate to contact us whenever you want,
we are always more than happy to help you!

vacuumaftersale@gmail.com

MADE IN CHINA

Scan QR Code to
Extend Warranty

CORDED
Vacuum Cleaner
User Manual



R6X
MODEL

Please read this manual carefully before use.
The company reserves the interpretation of this manual.

WARRANTY

NOTE:

THIS WARRANTY TERM GIVES YOU SPECIFIC LEGAL RIGHTS,AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

12-MONTH WARRANTY & LIFETIME CUSTOMER SUPPORT

Only apply to eligible purchases made directly from the authorized distributors. Warranty coverage applies to the original owner and to the original product only and is not transferable.

HOW TO INITIATE A WARRANTY CLAIM

If your appliance operates improperly while in use under normal household conditions within the warranty period please contact our customer support **[vacuumaftersale@gmail.com]** .

CONTACT DETAILS

Email: vacuumaftersale@gmail.com

CONTENTS

SAFETY INSTRUCTIONS 1

PRODUCT ANATOMY 2

HANDLE INSTALLATION 3

PRODUCT INSTALLATION 4

PRODUCT USE 5-6

PRODUCT MAINTENANCE 7-8

TECHNICAL SPECIFICATIONS 9

COMMON FAILURES 10

SAFETY INSTRUCTIONS

Please read the following safety instructions and follow all usual safety precautions before using this product.

The vacuum cleaner is for adult use only and is suitable for cleaning in a domestic environment. Always keep the vacuum cleaner in a dry place. All maintenance and repairs must be provided by an authorized service center.

Unless supervised or instructed by a safety guardian, this equipment is not intended for use by physically, sensually or mentally impaired persons, including children, or by persons, including children, who lack experience and knowledge.

Children should be supervised to ensure that they do not use this device as a toy.

If the power supply cord is damaged, it must be replaced by a professional from the manufacturer, other maintenance department or similar, in order to avoid a hazard.


Packaging materials (e.g. plastic bags, etc.) should not be placed where children can reach them to avoid choking. In the event of an accident, unplug the product immediately and do not leave the defective product in working condition. This product can only be repaired at designated service centers, and is prone to other unsafe factors when repaired at non-authorized centers.

Do not use this vacuum cleaner in the following places or situations:
1.Wet places.
2.Flammable gas accessories.
3.When the casing shows visible signs of breakage.
4.Remove sharp objects or liquids.
5.Remove hot or cold ashes, lit cigarettes, etc.
6.Removes fine dust, such as that found in plaster, concrete, flour, hot or cold ashes.
7.Never place the vacuum cleaner in direct sunlight.
8.Avoid exposing the vacuum cleaner or power cord to excessive heat.
9.Never use the vacuum cleaner without a Hepa.

Using the vacuum cleaner under these conditions may cause serious damage to the product.
Such damage is not covered by the warranty.

Eco-friendly
When disposing of the product, please do not pile it up with general household garbage, but give it to an officially designated recycling center.

PRODUCT ANATOMY




1. Handle
2. Upper hook
3. Metal push rod
4. Power cord
5. Lower hook
6. On/Off
7. Body
8. Dustbin release button
9. Dustbin cover release button
10. Dust collection suction port
11. Shock pad
12. Lower hook
13. Hepa
14. Scrubber assembly


HANDLE INSTALLATION

INSTALLATION AND DISASSEMBLY OF HANDLE ASSEMBLY

- Hold the handle and insert the limit post of the metal push rod into the port towards the back of the handle, after hearing the locking sound, the installation is successful.




- To remove the handle, lift the metal push rod upward while holding the limit post with a hard object.



INSTALLATION OF THE HANDLE ASSEMBLY AT THE BODY


- Hold the body, open the lower hook at 90°, insert the installed handle assembly vertically into the body port, and then latch it with the lower hook for successful installation.



PRODUCT INSTALLATION


INSTALLATION OF SCRUBBER ASSEMBLY

- Hold up the body and push the scrubber suction port up against the body's dust collection suction port to complete the installation.




HOW TO USE

1



- Please make sure that all parts of the machine have been installed before use, and that the power cord is removed from the upper and lower hooks and inserted into the power outlet.


2



- Turn on the power on/off button.


HOW TO USE

1




- Turn off the power switch.

2



- After finish using the product, the power cord can be wrapped around the upper and lower hooks.

3



- The power plug can be fixed to the power cord.


Warning: To avoid injury, turn off the vacuum cleaner and unplug the power cord from the outlet when not in use.

PRODUCT MAINTENANCE

Cleaning the dust box and Hepa


Note: The dust box needs to be cleared and the hepa should be cleaned regularly to ensure optimum machine performance.

1



- Turn off the power on/off button of the machine and then unplug it from the power outlet.


2



- After using machine is used, please clean out the dust from the dust box in time. Please hold the machine vertically and press the dust box release button.

  Note: The sponge pad needs to be taken off and patted for dust.

3




- Remove the shock pad, Hepa, and hepa shell as shown.

  Note: Do not lose the shock pad. Clean the hepa regularly to avoid reduced suction.

PRODUCT MAINTENANCE


1



- Remove the Hepa from the dust box, pat it clean, and place it in the dust box.

  Note: The Hepa filter is not washable.

2




- Assemble the Hepa and sponge pad on the top of the dust removal box, and then push it down.

  Note:

  1. Replace the Hepa filter regularly to maintain the strong suction.
  2. The Hepa filter is a consumable material with a lifespan, it needs to be replaced regularly, please purchase it at official store.

3



- Assemble the dust box to the machine, align the latch at the back and push up, the installation will be successful when you hear a click at the latch.


Note: Never operate the machine without a hepa. Hepa which will damage the motor and void the warranty.

TECHNICAL SPECIFICATIONS

Main technical parameters

Product category	Corded Vacuum Cleaner	Product model	R6X
Rated voltage	AC 120V	Rated power	600W
Capacity	0.8L	Rated frequency	60Hz

Electrical schematic diagram



Packing list

Name	Quantity	Name	Quantity
Vacuum cleaner	1	Metal push rod	1
Dust box	1	Floor brush	1
Handle assembly	1	Hepa shell	1
HEPA filter	1	User manual	1

COMMON FAILURES

Warning Code List

The following corresponding phenomena and solutions will appear when the machine has some common malfunctions.

Failure	Cause	Solution
The machine doesn't work	The machine power cord is not plugged in securely.	Check the power outlet.
	The power outlet is not charged.	Check the circuit breaker.
	Whether the machine switch button is turned on and the electrical overheating protection device is activated.	After cleaning the hepa, place the machine in a cool place and leave it for about 40 minutes to restart the power.
Weak suction	The dust box is full, or the hepa has not been cleaned for a long time resulting in clogging.	Follow the maintenance instructions to clean the hepa and dust box.
	The supply voltage is unstable.	Use when the voltage has stabilized.
Dust coming out of the vents	The hepa unit in the dust box is broken or the hepa is not in place.	Stop use immediately and replace with a new hepa. Immediately stop use and put the hepa in place.

Note:
If the above methods do not solve the problem, please send the machine to an after-sales service center for repair.