


D		Bottom Frame	2
E	////	Top Glass	1
F	////	Bottom Glass	1
G		Wheel	2
н		Wheel with Brake	2
Hardware			
Label	Picture	Description	QTY
1		Allen Key	1
2		Bolt (M6*25MM)	5
3		Bolt (M6*15MM)	9
4	2	Spanner	1
5	(8)	Glass Suction Cup	15


Assembly Preparation


Before Beginning Assembly:




This Bar Cart has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Bar Cart parts, the above picture is to help you put the various parts into perspective.

Please read through the instructions below to familiarise yourself with the parts and steps before assembly.








Stand the Bar Cart up, as shown.

<u>Step 8</u>

Step 9



Attach Glass Suction Cups(④) to Top Shelf Frame(C) and Bottom Frames(D), as shown.

F

Carefully, insert Top Glass(E) into Top Shelf Frame(C) and Bottom Glass(F) into and Bottom Frame(D).

Gently press down on the Glass Shelves after you put them into the frame. Please pressure down on each corner to adjust the gap between glass and frame. Then,Tighten all bolts at all joints fully in a sequential manner.

<u>Step 10</u>



Your Bar Cart is ready for use. This Bar Cart can only be used on a flat, level surface.

