



Important Safety Instructions:


- Please read all instructions carefully before assembling.
- For your safety, assembly by two or more adults is strongly recommended.
- Keep instructions for future use.
- Use only vendor supplied hardware to assemble. Using unauthorized hardware could jeopardize the structural integrity of the item.

Pre-assembly:

- Remove all parts and hardware from the box and lay out on a clear carpeted or scratch-free work surface, as this will avoid damaging parts during assembly. The shipping box provides an ideal work surface.
- Do not dispose of any packaging or contents of the shipping carton until assembly is completed to avoid accidentally discarding small parts or hardware.
- Use the parts and hardware lists below to identify and separate each of the pieces included.
- The illustrations provided allow for easier assembly when used in conjunction with the assembly instructions.
- The use of power tools to aid in assembly is not recommended. Power tools can damage hardware and split wood.

Parts Included:

- (A) Table base 1pc
- (B) Table top 1pc



Tool Required (included):

(C)



Wrench

Assembly Instruction Steps:



1. The table is shipped with the handle assembled on the inside of table base for ease of packaging. You will need to disassemble the handle and re-assemble it as shown below. Tighten the outside nut using the wrench (C). See **Fig. 1 and 2.**




Fig.1




Fig.2

2. Assemble the table top (B) to the table base (A) by inserting the threaded rod on underside of the table top to the table base metal tube. Rotate table top clockwise until it is securely attached to the table base. **Fig. 3**




Fig.3

COMPLETE ASSEMBLED

Care Instructions:

- Dust often using a clean, soft, dry and lint-free cloth.
- Blot spills immediately and wipe with a clean, damp, cloth.
- We do not recommend the use of chemical cleansers, abrasives or furniture polish on our lacquered finish.
- Hardware may loosen over time. Periodically check to make sure all connections are tight.
Re-tighten if necessary.