



Project/Job Name:

Location:

Fixture Type:

Notes:

62-1706 - Blink Pro - 9W; 5in; LED Fixture; CCT Selectable; Square Shape; Bronze Finish; 120V

- CCT Selectable



ELECTRICAL

Technology:	LED
Watts:	9W
Volts:	120V
Lumens:	600L-680L
Lamp Base :	Integrated
Lamp Shape :	Integrated LED
CRI:	90
CCT (Kelvins):	2700K/3000K/3500K/4000K/5000K
Temperature:	Warm White to Natural Light
Beam Spread :	100
Hours Rated:	50000
Dimmable:	Yes-Dimmable
DimmableText:	120V only
Operating Temperature :	-20C (-4F) to +40C (+104F)
Lamp Included :	Integrated
Replaceable Light Source :	No
Surge Protection :	Built-in surge protection - 2.5KV
THD:	<20%
Power Factor :	0.9
Warranty:	5 Year Limited - Fixtures

PACKAGING

Each UPC:	045923625008
Each Quantity:	1
Each Dimensions:	5.20 x 1.81 x 5.20
Case UPC:	10045923625005
Case Quantity:	12
Case Dimensions:	11.81 x 11.02 x 5.91

INFO

Additional Info:	UGR - 28.05; SDCM - 464; Hi pot - DC-1550V; Edge-lit - Yes
Specification Note:	Overall height of fixture and driver: 1.59"
Installation Note:	Surface mount; Compatible with 3" & 4" J-box and pancake J-box with additional accessory

PHYSICAL

Finish:	Bronze
Lens Material:	Poly methyl methacrylate (PMMA)
Finish Family:	Bronze
Dimensions:	L:5.00" W:5.00" H:0.67"
Weight (Lbs.):	0.69
Material:	Die-Cast Aluminum

COMPLIANCE

Safety Listing:	cETLus
Location Rating:	Wet
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Yes
Energy Star Unique ID:	ESID-2402971
Energy Star Lamp Category:	Downlight Surface Mount
DLC Approved:	No
UL/ETL Standard:	ANSI/UL 1598; CSA-C22.2 No. 250.0
CA Prop 65:	Lead
Closet Rated:	Yes
FCC Compliant:	Yes
NEC Compliant:	Clothes Closet Certified - Reg: 410.16 (A)(3) and 410.16 (C)(5)
RoHS Compliant:	Yes
SDS Class:	LED_Fixture
Restrictions:	No Restrictions



62-1706 - Blink Pro - 9W; 5in; LED Fixture; CCT Selectable; Square Shape; Bronze Finish; 120V

ACCESSORIES



25-1706

Blink Pro - Square Collar; 5 Inch; Bronze Finish



62-1706 - Blink Pro - 9W; 5in; LED Fixture; CCT Selectable; Square Shape; Bronze Finish; 120V

DIMMER COMPATIBILITY

Leviton	6672
---------	------

Leviton	6674
---------	------

Satco	86/103
-------	--------

LeGrand	ADTP703TU
---------	-----------

Lutron	AYCL-153P
--------	-----------

Lutron	AYCL-253P
--------	-----------

Lutron	CTCL-153P
--------	-----------

Lutron	CTRP-253P
--------	-----------

Eaton	DAL06P-C2
-------	-----------

Leviton	DDMX1
---------	-------

Leviton	DSE06-10Z
---------	-----------

Leviton	DSL06
---------	-------

Leviton	DSL06-1LZ
---------	-----------

Leviton	DSM10
---------	-------

Eaton	DUL06P-C2
-------	-----------

Lutron	DVCL-153P
--------	-----------

Lutron	DVCL-253P
--------	-----------

Lutron	DVRP-253P
--------	-----------

Lutron	HQRA-PRO
--------	----------

Lutron	HQRD-10D
--------	----------

Lutron	HQRD-10NBD
--------	------------

Lutron	HQRD-6ND
--------	----------

Lutron	HQRD-HN6BRL
--------	-------------

Lutron	HQRD-PRO
--------	----------

Lutron	HRST-PRO-N
--------	------------

Leviton	IPE04-1L
---------	----------

Leviton	IPLo6
Lutron	LECL-153P
Lutron	MA-PRO
Lutron	MACL-153M
Lutron	MACL-LFQ
Lutron	MSCL-OP153M
Lutron	NTCL-250
Lutron	NTRP-250
Lutron	PD-10NXD
Lutron	PD-6WCL
Lutron	RCL-153PNL
Eaton	RF9640-ND
Legrand	RHCL450PTC
Lutron	RRD-10D
Lutron	RRD-6CL
Lutron	RRD-6ND
Lutron	RRD-H6BRL
Lutron	RRD-PRO
Lutron	RRST-PRO-N
Satco	S11268
Eaton	SALo6P
Lutron	SCL-153P
Lutron	ST-PRO-N
Lutron	STCL-153M
Eaton	SUF7
Eaton	TALo6P-C2
Lutron	TGCL-153PH
Leviton	TSLo6

Leviton	TSM10
Lutron	TTCL-100H
Eaton	VSULo6D