



# Recliner Sofa

| Model | |
|---|---|
| **Loveseat Recliner**<br>(3 Boxes Refer to pages 1-7) |  |
| **Loveseat Recliner**<br>with Storage Console<br>(4 Boxes Refer to pages 8-14) |  |
| **Recliner Sofa**<br>3-seater with flip backrest<br>(4 Boxes Refer to pages 15-22) |  |
| **Recliner Sofa**<br>3-seater with storage console<br>(5 Boxes Refer to pages 23-32) |  |

- Note:This is a universal instruction, please refer to the corresponding page according to the model you purchased.
- IF you have any questions after receiving the sofa, please contac us in time and provide pictures. We will try our best to help you solve it.
- After-sales Email: Sofa-aftersales@outlook.com

# ! CAUTIONS

1.Please check whether all flots are installed properly,avoid sofa damage and personal injury caused by abnormal installation.

2. Leave enough| 4~6 inches between sofa back and wall avoid damaging the backrest due to violent tilting.

3. Unplug all power cord and wires connection from socket before moving the sofa chair. Disconnect all the power when not in use.

4. Don't use the sofa in direct sunlight for a long time to avoid material damage.

# ! WARNINGS

1. Keep all flame and heat sources away from this sofa,avoid the sofa burning by accidental contact.

2. Never stand or sit on the edge of the footrest or backrest whenthe chair is tilted, avoid safety accidents caused by sofa rollover.

# ! Contact Us


Dear customer, if you have any questions while using the product or need assistance, please do not hesitate to contact us via email.

After-sales Email: Sofa-aftersales@outlook.com

No matter the issue, we are here to listen and will do our best to help you promptly. We wish you warmth and comfort with your new sofa.

# Loveseat Recliner





## Operating instruction




- NOTE: This sofa ships in 3 boxes. All accessories are included.
- Our package comes with some cardboard that you can unfold before installing and then put the sofa on the cardboard for assembly to prevent the fabric from wearing out.
- If you have any questions after receiving the sofa, please contact us in time and provide pictures. We will try our best to help you solve it.

—V1.0.1

# PARTS LISTING

| BOX-A | | | |
|---|---|---|---|
| NO. | DRAWING | QTY | DESCRIPTION |
| A1 |  | 1 | SEAT CUSHION (LEFT) |
| C1 |  | 1 | ARMREST PAD (LEFT) |
| D1 |  | 1 | EAR (LEFT) |
| **BOX-B** | | | |
| A2 |  | 1 | SEAT CUSHION (RIGHT) |
| C2 |  | 1 | ARMREST PAD (RIGHT) |
| D2 |  | 1 | EAR (RIGHT) |
| G |  | 2 | POWER PLUG |
| H |  | 2 | CONNECTOR |
| K |  M6x30 | 8 | SCREW |
| L |  | 1 | ALLEN KEY |
| I |  | 8 | NUT |
| J |  | 4 | PLASTIC PAD |
| **BOX-C** | | | |
| A1&A2 |  | 1 | ARM (LEFT & RIGHT) |
| B1&B2 |  | 1 | BACK CUSHION (LEFT & RIGHT) |

# step1





**Accessories: Part H*2 Part K*8 Part L*1 Part I*8 Part J*4**

**Operating Procedure:**
**Connect the Part A1/A2 by using the Part H. For the convenience toadjust parts connection, never fully tighten the screws until you finish the installation, tighten screws to 80%-90% is enough.**

*** Mounting two parts I horizontally side by side is more sttable**

# step2






**Accessories: Part A1*1 Part A2*1 Part C1*1 Part C2*1**
**Operating Procedure:**
**Fit the left and right armrest pads (part C1 part C2) into the armrest.**
**Attach the armrest pads to the armrests with zippers and attach the Velcro on the armrest pads to the armrests, making sure that the position is correctly attached.**

# step2-1

## Instructions for Folding Armrest

(Deployment & Collapsing )





## Deployment Procedure:

1. Unzip the zipper on the armrest.


2. Place one hand on top of the folding armrest, and use your other hand to pull the armrest outward from its bottom side until fully deployed.


3. Once the armrest is extended, press the horizontal bar in the middle of the top armrest—you will hear a click sound, and the folding armrest will lock into the open position. The assembly is now complete.

Scan the QR code for the folding armrest deployment procedure video

# Instructions for Folding Armrest

(Collapsing)






## Collapsing Procedure:

1. Unzip the zipper on the armrest.

2. Reach one hand into the armrest and lift the horizontal bar upward. The armrest will fold compactly back into its stowed configuration

Scan the QR code for the folding armrest retraction procedure video

# step3





**Accessories: Part A1*1 Part A2*1 Part B*2**

**Operating Procedure:**

**Align the backrests(Part B*2) with the slot on the bases(Part A1 Part A2) separately and insert them firmly, when you hear a click that'scorrect installation**


# step4




**Accessories: Part D1*1 Part D2*1 Part B*2**

**Operating Procedure:**
**Align the Part D1 and Part D2 with the slot on the backrests(Part B*2) separately and insert them firmly.**


# step5




**Accessories: Part G*2**


**Operating Procedure:**
**Connect the wires on the plug, then plug it in and start using it.**
**The sofa has USB ports on both sides of the armrests to power electronic devices.**

# Assembly Completed




**Pull the pull ring to recline the sofa**





# Loveseat Recliner





## Operating instruction




- NOTE: This sofa ships in 4 boxes. All accessories are included.
- Our package comes with some cardboard that you can unfold before installing and then put the sofa on the cardboard for assembly to prevent the fabric from wearing out.
- If you have any questions after receiving the sofa, please contact us in time and provide pictures. We will try our best to help you solve it.

—V1.0.1


# PARTS LISTING

| BOX-A | | | |
|---|---|---|---|
| NO. | DRAWING | QTY | DESCRIPTION |
| A1 |  | 1 | SEAT CUSHION (LEFT) |
| C1 |  | 1 | ARMREST PAD (LEFT) |
| D1 |  | 1 | EAR (LEFT) |
| **BOX-B** | | | |
| A2 |  | 1 | SEAT CUSHION (RIGHT) |
| C2 |  | 1 | ARMREST PAD (RIGHT) |
| D2 |  | 1 | EAR (RIGHT) |
| G |  | 2 | POWER PLUG |
| H |  | 2 | CONNECTOR |
| K |  M6x30 | 8 | SCREW |
| L |  | 1 | ALLEN KEY |
| I |  | 8 | NUT |
| J |  | 4 | PLASTIC PAD |
| **BOX-C** | | | |
| A1&A2 |  | 1 | ARM (LEFT & RIGHT) |
| B1&B2 |  | 1 | BACK CUSHION (LEFT & RIGHT) |

# PARTS LISTING

| BOX- Storage Console | | | |
|---|---|---|---|
| M |  | 1 | BACK CUSHION |
| N |  | 1 | STORAGE CONSOLE |
| O |  | 2 | SCREW |
| P |  | 2 | PLASTIC PAD |
| K |  | 8 | SCREW |
| J |  | 4 | PLASTIC PAD |
| H |  | 2 | CONNECTOR |

# step1





**Accessories: Part H*4 Part K*16 Part L*1 Part I*8 Part J*8**

**Operating Procedure:**
**Connect the Part A1/A2/N by using the Part H. For the convenience toadjust parts connection, never fully tighten the screws until you finish the installation, tighten screws to 80%-90% is enough.**

*** Mounting two parts I horizontally side by side is more sttable**

# step2




**Accessories: Part A1*1 Part A2*1 Part C1*1 Part C2*1**

**Operating Procedure:**


**Fit the left and right armrest pads (part C1 part C2) into the armrest.**


**Attach the armrest pads to the armrests with zippers and attach the Velcro on the armrest pads to the armrests, making sure that the position is correctly attached.**

# step2-1

## Instructions for Folding Armrest

(Deployment & Collapsing )





## Deployment Procedure:

1. Unzip the zipper on the armrest.


2. Place one hand on top of the folding armrest, and use your other hand to pull the armrest outward from its bottom side until fully deployed.


3. Once the armrest is extended, press the horizontal bar in the middle of the top armrest—you will hear a click sound, and the folding armrest will lock into the open position. The assembly is now complete.

Scan the QR code for the folding armrest deployment procedure video

# Instructions for Folding Armrest

(Collapsing)






## Collapsing Procedure:

1. Unzip the zipper on the armrest.

2. Reach one hand into the armrest and lift the horizontal bar upward. The armrest will fold compactly back into its stowed configuration

Scan the QR code for the folding armrest retraction procedure video

# step3





**Accessories: Part A1*1 Part A2*1 Part B*2 Part N*1**

**Operating Procedure:**


**Align the backrests(Part B*2) with the slot on the bases(Part A1 Part A2 Part N*1) separately and insert them firmly, when you hear a click that'sscorrect installation**

# Step 4




Accessories: Part M*1 Part O*2 Part P*2
Operating Procedure:
Screw Part O screwed into Part M for about 2cm, the remaining part is inserted into Part N.


# Step 5




**Accessories: Part D1*1 Part D2*1 Part B*2**

**Operating Procedure:**
**Align the Part D1 and Part D2 with the slot on the backrests(Part B*2) separately and insert them firmly.**


# Step 6




**Accessories: Part G*2**


**Operating Procedure:**
**Connect the wires on the plug, then plug it in and start using it.**
**The sofa has USB ports on both sides of the armrests to power electronic devices.**

# Assembly Completed




**Pull the pull ring to recline the sofa**









# 3 Seat Recliner Sofa

## Operating instruction




- NOTE: This sofa ships in 4 boxes. All accessories are included.
- Our package comes with some cardboard that you can unfold before installing and then put the sofa on the cardboard for assembly to prevent the fabric from wearing out.
- If you have any questions after receiving the sofa, please contact us in time and provide pictures. We will try our best to help you solve it.


# PARTS LISTING

| BOX-A | | | |
|---|---|---|---|
| NO. | DRAWING | QTY | DESCRIPTION |
| A1 |  | 1 | SEAT CUSHION (LEFT) |
| C1 |  | 1 | ARMREST PAD (LEFT) |
| D1 |  | 1 | EAR (LEFT) |
| **BOX-B** | | | |
| A2 |  | 1 | SEAT CUSHION (RIGHT) |
| C2 |  | 1 | ARMREST PAD (RIGHT) |
| D2 |  | 1 | EAR (RIGHT) |
| G |  | 2 | POWER PLUG |
| H |  | 2 | CONNECTOR |
| K |  M6x30 | 8 | SCREW |
| L |  | 1 | ALLEN KEY |
| I |  | 8 | NUT |
| J |  | 4 | PLASTIC PAD |
| **BOX-C** | | | |
| A1&A2 |  | 1 | ARM (LEFT & RIGHT) |
| B1&B2 |  | 1 | BACK CUSHION (LEFT & RIGHT) |

# PARTS LISTING

| BOX-D | | | |
|---|---|---|---|
| E |  | 1 | CONSOLE BACK REST |
| F |  | 1 | CONSOLE |
| H |  | 2 | CONNECTOR |
| K |  M6x30 | 8 | SCREW |
| L |  | 1 | ALLEN KEY |
| J |  | 4 | PLASTIC PAD |

# Step 1





**Accessories: Part H*4 Part K*16 Part L*1 Part I*8 Part J*8**

**Operating Procedure:**
**Connect the Part A1/A2/F by using the Part H. For the convenience toadjust parts connection, never fully tighten the screws until you finish the installation, tighten screws to 80%-90% is enough.**

*** Mounting two parts I horizontally side by side is more sttable**

# step2





**Accessories: Part A1*1 Part A2*1 Part C1*1 Part C2*1**


**Operating Procedure:**
**Fit the left and right armrest pads (part C1 part C2) into the armrest.**
**Attach the armrest pads to the armrests with zippers and attach the Velcro on the armrest pads to the armrests, making sure that the position is correctly attached.**

step3

# Instructions for Folding Armrest

(Deployment & Collapsing )





## Deployment Procedure:

1. Unzip the zipper on the armrest.


2. Place one hand on top of the folding armrest, and use your other hand to pull the armrest outward from its bottom side until fully deployed.


3. Once the armrest is extended, press the horizontal bar in the middle of the top armrest—you will hear a click sound, and the folding armrest will lock into the open position. The assembly is now complete.

Scan the QR code for the folding armrest deployment procedure video

# Instructions for Folding Armrest

(Collapsing)






## Collapsing Procedure:

1. Unzip the zipper on the armrest.

2. Reach one hand into the armrest and lift the horizontal bar upward. The armrest will fold compactly back into its stowed configuration

Scan the QR code for the folding armrest retraction procedure video


# step3




**Accessories: Part A1*1 Part A2*1 Part B*2 Part E*1 Part F*1**

**Operating Procedure:**
**Align the backrests(Part B*2 Part E*1) with the slot on the bases(Part A1 Part A2 Part F*1) separately and insert them firmly, when you hear a click that'scorrect installation.**


# step4




**Accessories: Part D1*1 Part D2*1 Part B*2**

**Operating Procedure:**
**Align the Part D1 and Part D2 with the slot on the backrests(Part B*2) separately and insert them firmly.**

# step5



**Accessories: Part G*2 Part Y*1**


**Operating Procedure:**

**Connect the wires on the plug, then plug it in and start using it.**


**The sofa has USB ports on both sides of the armrests to power electronic devices.**


**Plug the power cord into the power outlet to start using it.**


# Assembly Completed




Pull the pull ring to recline the sofa







Pull the pull tab on the base to reveal a hidden drawer.




Flip the backrest over to turn it into a shelf with cup holders.

# 3 Seat Recliner Sofa




## with Storage Console

## Operating instruction





- NOTE: This sofa ships in 5 boxes. All accessories are included.
- Our package comes with some cardboard that you can unfold before installing and then put the sofa on the cardboard for assembly to prevent the fabric from wearing out.
- If you have any questions after receiving the sofa, please contact us in time and provide pictures. We will try our best to help you solve it.

# PARTS LISTING


| NO. | DRAWING | QTY | DESCRIPTION |
|---|---|---|---|
| **BOX-A** | | | |
| A1 |  | 1 | SEAT CUSHION (LEFT) |
| C1 |  | 1 | ARMREST PAD (LEFT) |
| D1 |  | 1 | EAR (LEFT) |
| **BOX-B** | | | |
| A2 |  | 1 | SEAT CUSHION (RIGHT) |
| C2 |  | 1 | ARMREST PAD (RIGHT) |
| D2 |  | 1 | EAR (RIGHT) |
| G |  | 2 | POWER PLUG |
| H |  | 2 | CONNECTOR |
| K |  M6x30 | 8 | SCREW |
| L |  | 1 | ALLEN KEY |
| I |  | 8 | NUT |
| J |  | 4 | PLASTIC PAD |
| **BOX-C** | | | |
| A1&A2 |  | 1 | ARM (LEFT & RIGHT) |
| B1&B2 |  | 1 | BACK CUSHION (LEFT & RIGHT) |

# PARTS LISTING

| BOX- Storage Console | | | |
|---|---|---|---|
| M |  | 1 | BACK CUSHION |
| N |  | 1 | STORAGE CONSOLE |
| O |  | 2 | SCREW |
| P |  | 2 | PLASTIC PAD |
| K |  | 8 | SCREW |
| J |  | 4 | PLASTIC PAD |
| H |  | 2 | CONNECTOR |

| BOX-D | | | |
|---|---|---|---|
| E |  | 1 | CONSOLE BACK REST |
| F |  | 1 | CONSOLE |
| H |  | 2 | CONNECTOR |
| K |  M6x30 | 8 | SCREW |
| L |  | 1 | ALLEN KEY |
| J |  | 4 | PLASTIC PAD |

# Step 1





**Accessories: Part H*6 Part K*24 Part L*1 Part I*8 Part J*12**

**Operating Procedure:**
**Connect the Part A1/A2/N by using the Part H. For the conivenience to adjust parts connection, never fully tighten the screws until you finish the instaallation, tighten screws to 80%-90% is enough.**

*** Mounting two parts I horizontally side by side is more sttable**

# step2





**Accessories: Part A1*1 Part A2*1 Part C1*1 Part C2*1**


**Operating Procedure:**
**Fit the left and right armrest pads (part C1 part C2) into the armrest.**
**Attach the armrest pads to the armrests with zippers and attach the Velcro on the armrest pads to the armrests, making sure that the position is correctly attached.**

# step3

## Instructions for Folding Armrest

(Deployment & Collapsing )





## Deployment Procedure:

1. Unzip the zipper on the armrest.


2. Place one hand on top of the folding armrest, and use your other hand to pull the armrest outward from its bottom side until fully deployed.


3. Once the armrest is extended, press the horizontal bar in the middle of the top armrest—you will hear a click sound, and the folding armrest will lock into the open position. The assembly is now complete.

Scan the QR code for the folding armrest deployment procedure video

# Instructions for Folding Armrest

(Collapsing)






## Collapsing Procedure:

1. Unzip the zipper on the armrest.

2. Reach one hand into the armrest and lift the horizontal bar upward. The armrest will fold compactly back into its stowed configuration

Scan the QR code for the folding armrest retraction procedure video


# step3




**Accessories: Part A1*1 Part A2*1 Part B*2 Part E*1 Part F*1**


**Operating Procedure:**
**Align the backrests(Part B*2 Part E*1) with the slot on the bases(Part A1 Part A2 Part F*1) separately and insert them firmly, when you hear a click that'scorrect installation.**

# Step 4




Accessories: Part M*1 Part O*2 Part P*2
Operating Procedure:
Screw Part O screwed into Part M for about 2cm, the remaining part is inserted into Part N.


# Step 5




**Accessories: Part D1*1 Part D2*1 Part B*2**

**Operating Procedure:**
**Align the Part D1 and Part D2 with the slot on the backrests(Part B*2) separately and insert them firmly.**


# Step 6




**Accessories: Part G*2**


**Operating Procedure:**
**Connect the wires on the plug, then plug it in and start using it.**
**The sofa has USB ports on both sides of the armrests to power electronic devices.**

# Assembly Completed



**Pull the pull ring to recline the sofa**





## WARRANTY

●The quality of our products has been strictly controlled. Each stage of the product upgrading has condensed the efforts of employees in various departments. We strive to minimize the probability of failure of new products and insist on providing customers with worry less after-sales service.

●If you have any damage or quality problems after receiving the goods, please contact us in time, our professional after-sales team will reply you as soon as possible and help you solve it.

●In order to save your time, please describe the problem in detail. If possible, we hope you can upload product pictures for our reference, and inform us the part number according to the instructions.

## AFTER-SALE POLICY

In order to better provide after-sales service experience, we provide the following after-sales policies. At the same time, we also hope that you can actively cooperate with us.

●Within the warranty period of the product, In case of product quality problems, you can contact us, we can provide you with parts replacement services, but for functional issues, we hope you could cooperate with us to complete the troubleshooting steps we told you and inform us the result so we could help you solve it.

●For the return problem, we do not accept unreasonable refunds. If you are not satisfied within 3 days after receiving the goods, we hope you can contact us as soon as possible. After we checked, you must return the product in their original status, so you could qualify for a refund.

# After-sales service

What problems did you encounter when using our products

Difficult to install the product

Damage caused by express delivery

Missing Fittings

**No matter What problem you encounter, please keep contact with our professional after-sales team:**

**Email: Sofa-aftersales@outlook.com**

We will give you a perfect solution within 12 hours

# How to contact us on Amazon?

