




New Acoustic Slat Wood Wall Panels




Acoustic Slat Wood Panel





Natural Oak Wood Panels (3 Sides Finished)



Natural Walnut Wood Panels (3 Sides Finished)



Smoke Oak Natural Wood Panels (3 Sides Finished)



Product Display & Application Information



ACOUSTIC SLAT WOOD WALL PANELS




size1: 320*2400*21mm 8.26SF / pcs
size2: 600*2400*21mm 15.48SF / PCS
size3: 600*2900*21mm 18.7SF / pcs
Natural Oak Veneer 3 Side Wrapped




size1: 320*2400*21mm 8.26SF / pcs
size2: 600*2400*21mm 15.48SF / PCS
size3: 600*2900*21mm 18.7SF / pcs
Natural Walnut Veneer 3 Side Wrapped




size1: 320*2400*21mm 8.26SF / pcs
size2: 600*2400*21mm 15.48SF / PCS
size3: 600*2900*21mm 18.7SF / pcs
Smoked Oak Veneer 3 Side Wrapped



Glue Wall Panel Installation

1. After receiving the package, please carefully inspect for damage. If you find any damage, please contact us immediately.
2. Before the installation, please ensure the wall is clean, dry, and free of any dust or debris.
3. Apply the adhesive to the back of the panel according to the instructions.
4. Press the panel firmly against the wall and hold it in place for a few minutes.
5. Repeat the process for all panels, ensuring they are aligned correctly.
6. After installation, please clean the surface of the panel with a soft cloth.
7. Avoid touching or moving the panel for at least 24 hours after installation.
8. If you have any questions, please contact us.



Nail Wall Panel Installation

1. After receiving the package, please carefully inspect for damage. If you find any damage, please contact us immediately.
2. Before the installation, please ensure the wall is clean, dry, and free of any dust or debris.
3. Apply the nails to the back of the panel according to the instructions.
4. Press the panel firmly against the wall and hold it in place for a few minutes.
5. Repeat the process for all panels, ensuring they are aligned correctly.
6. After installation, please clean the surface of the panel with a soft cloth.
7. Avoid touching or moving the panel for at least 24 hours after installation.
8. If you have any questions, please contact us.

This video is from the network. If there is infringement, please contact us.





Installation & Application



Installation & Application

Wood Panel Package - (2 PCs per Box)



Wood Panel Package - (38 Boxes per Crate)



Shipping Container Load (40' HQ)



2 PCs per Case
38 Cases per Crate
18 Crates per Container
1368 PCs per Container

Wood Panel Store Displays in EU



Wood Panel Store Displays in EU



Wood Panel Store Displays in EU



Wood Panel Store Displays in EU

