


## MINI RECESSED PANEL

**ROUND & SQUARE**

**3", 4", 6", 8"**



## SPECIFICATIONS

### ELECTRICAL

	MODEL	DESCRIPTION	POWER	INPUT VOLTS	DIMMABLE	FREQUENCY	EFFICACY (LPW)	LIFETIME
3"	LR23694	LED/MINI3/PANEL/30K/RD	7	120V	YES	50-60Hz	64.3	50,000
	LR23695	LED/MINI3/PANEL/40K/RD	7	120V	YES	50-60Hz	64.3	50,000
	LR23696	LED/MINI3/PANEL/50K/RD	7	120V	YES	50-60Hz	64.3	50,000
	LR23697	LED/MINI3/PANEL/30K/SQ	7	120V	YES	50-60Hz	64.3	50,000
	LR23698	LED/MINI3/PANEL/40K/SQ	7	120V	YES	50-60Hz	64.3	50,000
	LR23699	LED/MINI3/PANEL/50K/SQ	7	120V	YES	50-60Hz	64.3	50,000
4"	LR23712	LED/MINI4/PANEL/27K/RD	10	120V	YES	50-60Hz	65.0	50,000
	LR23700	LED/MINI4/PANEL/30K/RD	10	120V	YES	50-60Hz	65.0	50,000
	LR23701	LED/MINI4/PANEL/40K/RD	10	120V	YES	50-60Hz	65.0	50,000
	LR23702	LED/MINI4/PANEL/50K/RD	10	120V	YES	50-60Hz	65.0	50,000
	LR23713	LED/MINI4/PANEL/27K/SQ	10	120V	YES	50-60Hz	65.0	50,000
	LR23703	LED/MINI4/PANEL/30K/SQ	10	120V	YES	50-60Hz	65.0	50,000
	LR23704	LED/MINI4/PANEL/40K/SQ	10	120V	YES	50-60Hz	65.0	50,000
	LR23705	LED/MINI4/PANEL/50K/SQ	10	120V	YES	50-60Hz	65.0	50,000
6"	LR23718	LED/MINI6/PANEL/27K/RD	12	120V	YES	50-60Hz	70.8	50,000
	LR23706	LED/MINI6/PANEL/30K/RD	15	120V	YES	50-60Hz	70.8	50,000
	LR23707	LED/MINI6/PANEL/40K/RD	15	120V	YES	50-60Hz	70.8	50,000
	LR23708	LED/MINI6/PANEL/50K/RD	15	120V	YES	50-60Hz	70.8	50,000
	LR23719	LED/MINI6/PANEL/27K/SQ	12	120V	YES	50-60Hz	70.8	50,000
	LR23709	LED/MINI6/PANEL/30K/SQ	15	120V	YES	50-60Hz	70.8	50,000
	LR23710	LED/MINI6/PANEL/40K/SQ	15	120V	YES	50-60Hz	70.8	50,000
	LR23711	LED/MINI6/PANEL/50K/SQ	15	120-277V	YES	50-60Hz	70.8	50,000
8"	LR23720	LED/MINI8/PANEL/27K/RD	25	120-277V	0-10V	50-60Hz	88.0	50,000
	LR23721	LED/MINI8/PANEL/30K/RD	25	120-277V	0-10V	50-60Hz	88.0	50,000
	LR23722	LED/MINI8/PANEL/40K/RD	25	120-277V	0-10V	50-60Hz	88.0	50,000
	LR23723	LED/MINI8/PANEL/50K/RD	25	120-277V	0-10V	50-60Hz	88.0	50,000
	LR23725	LED/MINI8/PANEL/27K/SQ	25	120-277V	0-10V	50-60Hz	88.0	50,000
	LR23726	LED/MINI8/PANEL/30K/SQ	25	120-277V	0-10V	50-60Hz	88.0	50,000
	LR23727	LED/MINI8/PANEL/40K/SQ	25	120-277V	0-10V	50-60Hz	88.0	50,000
	LR23728	LED/MINI8/PANEL/50K/SQ	25	120-277V	0-10V	50-60Hz	88.0	50,000

### PHOTOMETRIC


### GENERAL

MODEL	COLOR (CCT)	TEMP	LUMEN	FLOOD	CRI	DAMP LOCATION	COST/YR	ENERGY STAR	FINISH
LR23694	3000K	SOFT WHITE	450	110°	82	YES	\$ 0.84		WHITE
LR23695	4000K	COOL WHITE	450	110°	82	YES	\$ 0.84		WHITE
LR23696	5000K	BRIGHT WHITE	450	110°	82	YES	\$ 0.84		WHITE
LR23697	3000K	SOFT WHITE	450	110°	82	YES	\$ 0.84		WHITE
LR23698	4000K	COOL WHITE	450	110°	82	YES	\$ 0.84		WHITE
LR23699	5000K	BRIGHT WHITE	450	110°	82	YES	\$ 0.84		WHITE
LR23712	2700K	WARM WHITE	650	110°	82	YES	\$ 1.20	YES	WHITE


PHOTOMETRIC						GENERAL			
MODEL	COLOR (CCT)	TEMP	LUMEN	FLOOD	CRI	DAMP LOCATION	COST/YR	ENERGY STAR	FINISH
LR23700	3000K	SOFT WHITE	650	110°	82	YES	\$ 1.20	YES	WHITE
LR23701	4000K	COOL WHITE	650	110°	82	YES	\$ 1.20	YES	WHITE
LR23702	5000K	BRIGHT WHITE	650	110°	82	YES	\$ 1.20	YES	WHITE
LR23713	2700K	WARM WHITE	650	110°	82	YES	\$ 1.20	YES	WHITE
LR23703	3000K	SOFT WHITE	650	110°	82	YES	\$ 1.20	YES	WHITE
LR23704	4000K	COOL WHITE	650	110°	82	YES	\$ 1.20	YES	WHITE
LR23705	5000K	BRIGHT WHITE	650	110°	82	YES	\$ 1.45	YES	WHITE
LR23718	2700K	WARM WHITE	850	110°	82	YES	\$ 1.45	YES	WHITE
LR23706	3000K	SOFT WHITE	850	110°	82	YES	\$ 1.45	YES	WHITE
LR23707	4000K	COOL WHITE	850	110°	82	YES	\$ 1.45	YES	WHITE
LR23708	5000K	BRIGHT WHITE	850	110°	82	YES	\$ 1.45	YES	WHITE
LR23719	2700K	WARM WHITE	850	110°	82	YES	\$ 1.45	YES	WHITE
LR23709	3000K	SOFT WHITE	850	110°	82	YES	\$ 1.45	YES	WHITE
LR23710	4000K	COOL WHITE	850	110°	82	YES	\$ 1.45	YES	WHITE
LR23711	5000K	BRIGHT WHITE	850	110°	82	YES	\$ 1.45	YES	WHITE
LR23720	2700K	WARM WHITE	2200	110°	82	YES	\$ 3.01	YES	WHITE
LR23721	3000K	SOFT WHITE	2200	110°	82	YES	\$ 3.01	YES	WHITE
LR23722	4000K	COOL WHITE	2200	110°	82	YES	\$ 3.01	YES	WHITE
LR23723	5000K	BRIGHT WHITE	2200	110°	82	YES	\$ 3.01	YES	WHITE
LR23725	2700K	WARM WHITE	2200	110°	82	YES	\$ 3.01	YES	WHITE
LR23726	3000K	SOFT WHITE	2200	110°	82	YES	\$ 3.01	YES	WHITE
LR23727	4000K	COOL WHITE	2200	110°	82	YES	\$ 3.01	YES	WHITE
LR23728	5000K	BRIGHT WHITE	2200	110°	82	YES	\$ 3.01	YES	WHITE

## DIAGRAM


3" Round




4" Round




3" Square




4" Square




## DIAGRAM




6" Square



8" Square




6" Round



8" Round

## INSTALLATION GUIDE




### 3", 4", 6", 8" ROUND

#### PARTS LIST

- 1 Junction box
- 3 Spring clips
- 2 Light panel
- 4 Connector

FIG. 1



#### CUTOUT

3"	2.74" (70 mm)
4"	4.25" (108 mm)
6"	6.25" (160 mm)
8"	8.25" (208 mm)

FIG. 2




FIG. 3




FIG. 4





FIG. 1



#### CUTOUT

3"	2.75*2.75" (70*70 mm)
4"	4.25*4.25" (108*108 mm)
6"	6.25*6.25" (160*160 mm)
8"	8.25*8.25" (210*210mm)

FIG. 2




FIG. 3






FIG. 4



### 3", 4", 6", 8" SQUARE

#### PARTS LIST

- 1 Junction box
- 3 Spring clips
- 2 Light panel
- 4 Connector