



# Assembly Instructions












**\*Don't fully tighten all the bolts till the very end!**


PRE-ASSEMBLY PREPARATION:

- A cordless drill is recommended for ease of assembly.
- Please read through the instructions before beginning assembly.
- Clear out the space for assembly and lay out all of the parts based on the Parts List, extra room will allow you to easily determine if all the pieces are present.
- Keep small parts and pieces away from children until fully assembled.




Part no.	Part	QTY	Image
A1	Left arm	1	
A2	Right arm	1	
B	Back	1	
C	seat	1	
D	Bolt (M6*38mm)	11	
E	Washer	11	
F	Allen wrench	1	
G	Seat cushion	2	
H	Back cushion	2	


**Step 1:** Attach left arm A1 to back B with 2pcs bolts D and 2pcs washers E, using Allen wrench F. Note: Don't fully tighten the bolts.




**Step 2:** Attach right arm A2 to back B with 2pcs bolts D and 2pcs washers E, using Allen wrench F. Note: Don't fully tighten the bolts.



**Step 3:** Attach seat C to arms A1&A2 with 4pcs bolts D and 4pcs washers E, using Allen wrench F. Note: Don't fully tighten the bolts.



**Step 4:** Attach seat C to back B with 3pcs bolts D and 3pcs washers E, using Allen wrench F. Note: Don't fully tighten the bolts.



**Step 5:** Put seat cushion G and back cushion H onto the seat. Assembly is now complete and the product is ready for use

