# AIR PURIFIER INSTRUCTIONS

Read this manual completely before use and keep for future reference.

# **Safety Information**


#### **⚠ WARNING!**

- Use this product on dry, stable, level ground with no less than 8 inches (20 cm) of open space in front of its vents.
- DO NOT use this product in humid environments such as bathrooms, outdoors, dusty or oily environments, or around flammable, explosive, or corrosive fumes.
- DO NOT place near flames, lit cigarettes, etc.
- DO NOT use with incompatible or unstable power supplies. Do not damage the power cord or allow this product to be used with a damaged power cord.
- DO NOT operate this product with wet hands or insert any body part or object into the vents.
- DO NOT tilt or move the product while in use.
- **DO NOT** use in an environment being fumigated or containing pesticides, insecticides, or other poisons.
- **DO NOT** modify, disassemble, or repair this product without specialized training. Only use approved filters designed for this product.
- Do not allow children or persons who have not read & understood these instructions to operate this product.

#### **Specifications**

Input Power	110V/60Hz
Power Consumption	35–45W
Recommended Room Sizes	350–550 sq. ft.

## **Parts Diagram**



#### **Instructions**

- 1. Ensure the plug is fully inserted before use.
- 2. Press the power button to begin operation.
- 3. Press **SPEED** to change the purifier's speed. The default is medium. Use low speed for quiet mode or high speed for rooms with more people or higher levels of air pollution.
- 4. Press **TIMER** to activate timed operation from 1 to 8 hours.
- 5. Press ANION to activate the purifier's negative ion mode, releasing negatively-charged oxygen ions into the air to pull dust and fumes onto the surfaces of your room, where they can be easily dealt with as part of regular cleaning.
- 6. Press the power button again to turn it off.
- 7. If the purifier will remain unused for an extended period, unplug it.

### **Maintenance**

- Replace the filters as needed. Turn off and disconnect the product from its power supply before checking or changing the filters.
- Clean the surface with a soft dry or damp cloth. Never use abrasive cleaning products.
- Clean the inlet and outlet vents using a soft brush.

#### **Contact Us**

Thank you for choosing our products! If you have any questions or comments, contact us at **help@cs-supportpro.com** and we'll resolve your issue ASAP!

For a .pdf copy of the latest version of these instructions, use the appropriate app on your smartphone to scan the QR code to the right.

