Kindly Remind

It is not easy to meet each other in such a big world

Thank You for Your Purchase!

Dear Valued Customer,

If you encounter any issues, please contact us. Our support team is here to help.

E-mail us via : assemblehelp@163.com

Text us via : 9153393399

Please provide us below information when you contact us:

1. Purchase order number and platform
2. Problem details(including damage or missing parts number, problem picture)

Response Hours: In 24 hours


Return policy:

1. Save time and money: Don't return the product without contacting US
2. Don't open all packages if returning, use the original package for return
3. For quality issues, provide images or videos for a quick solution within 24 hours.

Easier Installationhelp:please use yourmobile browser to scan the QR code below to watch theinstallation video.(Modular combination sofa SKU:9009)


COMBINED SOFA PICTURES

2+1L-shaped




Assembly instructions P6-P12
You will received BOX1, BOX2, BOX4
Please assemble it after all boxes are received

2+2square-shaped




Assembly instructions P13-P19
You will received BOX1, BOX2, BOX4*2
Please assemble it after all boxes are received

3+1L-shaped




Assembly instructions P20-P26
You will received BOX1, BOX3, BOX4
Please assemble it after all boxes are received

3+2U-shaped




Assembly instructions P27-P33
You will received BOX1, BOX3, BOX4*2
Please assemble it after all boxes are received

3+3square-shaped



Assembly instructions P34-P40
You will received BOX1, BOX3, BOX4*3
Please assemble it after all boxes are received


4+1L-shaped



Assembly instructions P41-P47
You will received BOX1, BOX2, BOX3, BOX4
Please assemble it after all boxes are received


COMBINED SOFA PICTURES

4+2U-shaped




Assembly instructions P48-P54 You will received BOX1, BOX2, BOX3, BOX4*2
Please assemble it after all boxes are received

4+2U+Center control-shaped



Assembly instructions P55-P62 You will received BOX1, BOX2, BOX3, BOX4*2, BOX5
Please assemble it after all boxes are received


5+1L-shaped




Assembly instructions P63-P69 You will received BOX1, BOX3*2, BOX4
Please assemble it after all boxes are received

COMPONENTS

BOX 1




BOX 2




COMPONENTS


BOX 3




BOX 4



BOX 5



2+1L-shaped



1.  Screws M6x18mm


2.  Screws M8x45mm

3.  Screws M8x35mm

4.  Washer ϕ6x16mm

5.  Washer ϕ8x22mm

6.  nut M8

7.  1×Socket wrench


8.  1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

2+1L-shaped ASSEMBLY INSTRUCTION

1		24pcs
4		24pcs
8		1pcs


DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are four Side plates（Part B）,
Connect the Triangular iron pieces（Prat G）（Part J）to the Side plates（Part B）with the Screws M6x18mm and the Washers Φ6x16mm by Wrench.



x4

1		24pcs
4		24pcs
8		1pcs

DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1）and the Back plate（PartC2）with the Side plates（Part B）with the Screws M6x18mm and the Φ8x22mmWashers by Wrench. Ensure that the Arrows on the four boards are facing in the same direction.






DIAGRAM3（Assemble the Wooden square timbers）
Install the two wooden square timbers（Part H） on the Front plate（PartC1）
and the Back plate（PartC2） respectively with the Screws M8X45mm
and the Φ8x22mm Washers by Wrench. The side of the Velcro on the
wooden square timbers should be in the same direction as the arrow on
the side plates.

2		12pcs
5		12pcs
8		1pcs




DIAGRAM4（Assemble the Legs）
The tall feet (Part I) are installed on the front panel（PartC1）,
and the short feet （Part F) are installed on the back panel (Part C2) as shown.
Pull open the zipper at the bottom of the footstool frame, take out four feet（Part I）,
and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D ）using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		10pcs
5		10pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1）to the Seat frame （right）. Connect the Armrest left （Part L2）to the Seat frame （left）. They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Connecting the Seat frame）
Assemble two seat frames together with screws M8X45mm and washers ϕ 8x22mm and nuts M8 by Wrench and Socket wrench as shown.

2		4pcs
5		8pcs
6		4pcs
7		1pcs
8		1pcs




DIAGRAM8（Install wooden strips）
Install 8 wooden strips (Part K) on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square.





DIAGRAM9（Removal of compressed bags）



TIPS：

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.








DIAGRAM11（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa.
Put the Seat cushion（Part N）on the Pedal rack.








FINISH!



2+2square-shaped



1.  Screws M6x18mm


2.  Screws M8x45mm

3.  Screws M8x35mm

4.  Washer ϕ6x16mm

5.  Washer ϕ8x22mm

6.  nut M8

7.  1×Socket wrench


8.  1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

2+2square-shaped ASSEMBLY INSTUCTION

DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are four Side plates（Part B）, Connect the Triangular iron pieces（Prat G）（Part J） to the Side plates（Part B） with the Screws M6x18mm and the Washers φ6x16mm by Wrench.

1		24pcs
4		24pcs
8		1pcs



x4

DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1） and the Back plate（PartC2） with the Side plates (Part B) with the Screws M6x18mm and the φ8x22mmWashers by Wrench.
Ensure that the Arrows on the four boards are facing in the same direction.

1		24pcs
4		24pcs
8		1pcs




DIAGRAM3（Assemble the Wooden square timbers）
Install the two wooden square timbers（Part H） on the Front plate（PartC1） and the Back plate（PartC2） respectively with the Screws M8X45mm and the ϕ8x22mm Washers by Wrench. The side of the Velcro on the wooden square timbers should be in the same direction as the arrow on the side plates.

2		12pcs
5		12pcs
8		1pcs




DIAGRAM4（Assemble the Legs）
The tall feet (Part I) are installed on the front panel（PartC1）, and the short feet （Part F) are installed on the back panel (Part C2) as shown. Pull open the zipper at the bottom of the footstool frame, take out four feet（Part I）, and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D) using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		10pcs
5		10pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1) to the Seat frame （right). Connect the Armrest left （Part L2) to the Seat frame （left). They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Connecting the Seat frame）
Assemble two seat frames together with screws M8X45mm and washers Φ 8x22mm and nuts M8 by Wrench and Socket wrench as shown.

2		4pcs
5		8pcs
6		4pcs
7		1pcs
8		1pcs




DIAGRAM8（Install wooden strips）
Install 8 wooden strips（ Part K ） on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square.





DIAGRAM9（Removal of compressed bags）



TIPS：

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.







DIAGRAM11（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa.
Put the Seat cushion（Part N）on the Pedal rack.









x2

FINISH!



3+1L-shaped



1.  Screws M6x18mm


2.  Screws M8x45mm

3.  Screws M8x35mm

4.  Washer ϕ6x16mm

5.  Washer ϕ8x22mm

6.  nut M8

7.  1×Socket wrench

8.  1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

3+1L-shaped ASSEMBLY INSTRUCTION

DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are six Side plates（Part B）, Connect the Triangular iron pieces（Prat G） （Part J） to the Side plates（Part B） with the Screws M6x18mm and the Washers Φ6x16mm by Wrench.

1		36pcs
4		36pcs
8		1pcs





DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1） and the Back plate（PartC2） with the Side plates (Part B) with the Screws M6x18mm and the Φ8x22mmWashers by Wrench. Ensure that the Arrows on the four boards are facing in the same direction.

1		36pcs
4		36pcs
8		1pcs






DIAGRAM3（Assemble the Wooden square timbers）
Install the two wooden square timbers（Part H） on the Front plate（PartC1）
and the Back plate（PartC2） respectively with the Screws M8X45mm and
the ϕ8x22mm Washers by Wrench. The side of the Velcro on the wooden
square timbers should be in the same direction as the arrow on the side plates.

2		18pcs
5		18pcs
8		1pcs




DIAGRAM4（Assemble the Legs）
The tall feet (Part I) are installed on the front panel（PartC1）, and the short feet （Part F ）
are installed on the back panel (Part C2) as shown. Pull open the zipper at the bottom of the
footstool frame, take out four feet（Part I）, and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D) using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		15pcs
5		15pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1) to the Seat frame （right). Connect the Armrest left （Part L2) to the Seat frame （left). They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Connecting the Seat frame）

Assemble the three seat frames together with screws M8X45mm and washers ϕ 8x22mm and nuts M8 by Wrench and Socket wrench as shown.

2		8pcs
5		16pcs
6		8pcs
7		1pcs
8		1pcs




DIAGRAM8（Install wooden strips）

Install 8 wooden strips (Part K) on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square.





DIAGRAM9（Removal of compressed bags）



TIPS：

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.







DIAGRAM11（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa.
Put the Seat cushion（Part N）on the Pedal rack.






FINISH!



3+2U-shaped



1.  Screws M6x18mm


2.  Screws M8x45mm

3.  Screws M8x35mm

4.  Washer ϕ6x16mm

5.  Washer ϕ8x22mm

6.  nut M8

7.  1×Socket wrench

8.  1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

3+2U-shaped ASSEMBLY INSTRUCTION

DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are six Side plates（Part B）, Connect the Triangular iron pieces（Prat G）（Part J） to the Side plates（Part B） with the Screws M6x18mm and the Washers ϕ6x16mm by Wrench.

1		36pcs
4		36pcs
8		1pcs





DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1） and the Back plate（PartC2） with the Side plates（ Part B ）with the Screws M6x18mm and the ϕ8x22mmWashers by Wrench. Ensure that the Arrows on the four boards are facing in the same direction.

1		36pcs
4		36pcs
8		1pcs






DIAGRAM3（Assemble the Wooden square timbers）

Install the two wooden square timbers（Part H） on the Front plate（PartC1） and the Back plate（PartC2） respectively with the Screws M8X45mm and the φ8x22mm Washers by Wrench. The side of the Velcro on the wooden square timbers should be in the same direction as the arrow on the side plates.

2		18pcs
5		18pcs
8		1pcs




DIAGRAM4（Assemble the Legs）

The tall feet (Part I) are installed on the front panel（PartC1）, and the short feet （Part F ） are installed on the back panel (Part C2) as shown. Pull open the zipper at the bottom of the footstool frame, take out four feet（Part I）, and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D) using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		15pcs
5		15pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1) to the Seat frame （right). Connect the Armrest left （Part L2) to the Seat frame （left). They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Connecting the Seat frame）
Assemble the three seat frames together with screws M8X45mm and washers ϕ 8x22mm and nuts M8 by Wrench and Socket wrench as shown.

2		8pcs
5		16pcs
6		8pcs
7		1pcs
8		1pcs




DIAGRAM8（Install wooden strips）
Install 8 wooden strips（Part K）on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square.





DIAGRAM9（Removal of compressed bags）



TIPS：

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.







DIAGRAM11（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa.
Put the Seat cushion（Part N）on the Pedal rack.









x2

FINISH!



3+3square-shaped



1.  Screws M6x18mm


2.  Screws M8x45mm

3.  Screws M8x35mm

4.  Washer ϕ6x16mm

5.  Washer ϕ8x22mm

6.  nut M8

7.  1×Socket wrench

8.  1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

3+3square-shaped ASSEMBLY INSTRUCTION

DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are six Side plates（Part B）, Connect the Triangular iron pieces（Prat G）（Part J） to the Side plates（Part B） with the Screws M6x18mm and the Washers ϕ6x16mm by Wrench.

1		36pcs
4		36pcs
8		1pcs





DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1） and the Back plate（PartC2） with the Side plates (Part B) with the Screws M6x18mm and the ϕ8x22mmWashers by Wrench. Ensure that the Arrows on the four boards are facing in the same direction.

1		36pcs
4		36pcs
8		1pcs






DIAGRAM3（Assemble the Wooden square timbers）
Install the two wooden square timbers（Part H） on the Front plate（PartC1） and the Back plate（PartC2） respectively with the Screws M8X45mm and the ϕ8x22mm Washers by Wrench. The side of the Velcro on the wooden square timbers should be in the same direction as the arrow on the side plates.

2		18pcs
5		18pcs
8		1pcs




DIAGRAM4（Assemble the Legs）
The tall feet（Part I）are installed on the front panel（PartC1）, and the short feet （Part F）are installed on the back panel（Part C2）as shown.
Pull open the zipper at the bottom of the footstool frame, take out four feet（Part I）, and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D) using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		15pcs
5		15pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1) to the Seat frame （right). Connect the Armrest left （Part L2) to the Seat frame （left). They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Connecting the Seat frame）
Assemble the three seat frames together with screws M8X45mm and washers Φ 8x22mm and nuts M8 by Wrench and Socket wrench as shown.

2		8pcs
5		16pcs
6		8pcs
7		1pcs
8		1pcs




DIAGRAM8（Install wooden strips）
Install 8 wooden strips（Part K）on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square.






DIAGRAM9(Removal of compressed bags)








TIPS:

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.

DIAGRAM11（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa.
Put the Seat cushion（Part N）on the Pedal rack.









x3

FINISH!



4+1L-shaped



1. Screws M6x18mm
2. Screws M8x45mm
3. Screws M8x35mm
4. Washer ϕ6x16mm
5. Washer ϕ8x22mm
6. nut M8
7. 1×Socket wrench
8. 1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

4+1L-shaped ASSEMBLY INSTRUCTION

DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are 8 Side plates（Part B）, Connect the Triangular iron pieces（Prat G）（Part J） to the Side plates（Part B） with the Screws M6x18mm and the Washers Φ6x16mm by Wrench.

1		48pcs
4		48pcs
8		1pcs





DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1） and the Back plate（PartC2） with the Side plates (Part B) with the Screws M6x18mm and the Φ8x22mmWashers by Wrench.
Ensure that the Arrows on the four boards are facing in the same direction.

1		48pcs
4		48pcs
8		1pcs






DIAGRAM3（Assemble the Wooden square timbers）
Install the two wooden square timbers（Part H） on the Front plate（PartC1）and the Back plate（PartC2） respectively with the Screws M8X45mm and the ϕ8x22mm Washers by Wrench. The side of the Velcro on the wooden square timbers should be in the same direction as the arrow on the side plates.

2		24pcs
5		24pcs
8		1pcs




DIAGRAM4（Assemble the Legs）
The tall feet (Part I) are installed on the front panel（PartC1）, and the short feet （Part F) are installed on the back panel (Part C2) as shown. Pull open the zipper at the bottom of the footstool frame, take out four feet（Part I）, and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D) using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		20pcs
5		20pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1) to the Seat frame （right）.
Connect the Armrest left （Part L2) to the Seat frame （left）. They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Connecting the Seat frame）
Assemble the four seat frames together with screws M8X45mm and washers ϕ 8x22mm and nuts M8 by Wrench and Socket wrench as shown.

2		12pcs
5		24pcs
6		12pcs
7		1pcs
8		1pcs




DIAGRAM8（Install wooden strips）
Install 8 wooden strips（ Part K ） on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square.





DIAGRAM9（Removal of compressed bags）



TIPS：

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.







DIAGRAM11（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa.
Put the Seat cushion（Part N）on the Pedal rack.







FINISH!



4+2U-shaped




1.  Screws M6x18mm
2.  Screws M8x45mm
3.  Screws M8x35mm
4.  Washer ϕ6x16mm
5.  Washer ϕ8x22mm
6.  nut M8
7.  1×Socket wrench
8.  1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

4+2U-shaped ASSEMBLY INSTRUCTION

DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are 8 Side plates（Part B）, Connect the Triangular iron pieces（Prat G）（Part J） to the Side plates（Part B） with the Screws M6x18mm and the Washers Φ6x16mm by Wrench.


1		48pcs
4		48pcs
8		1pcs



x8

DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1） and the Back plate（PartC2） with the Side plates (Part B) with the Screws M6x18mm and the Φ8x22mmWashers by Wrench.
Ensure that the Arrows on the four boards are facing in the same direction.

1		48pcs
4		48pcs
8		1pcs






DIAGRAM3（Assemble the Wooden square timbers）
Install the two wooden square timbers（Part H） on the Front plate（PartC1）
and the Back plate（PartC2） respectively with the Screws M8X45mm and
the ϕ8x22mm Washers by Wrench. The side of the Velcro on the wooden
square timbers should be in the same direction as the arrow on the side plates.

2		24pcs
5		24pcs
8		1pcs




DIAGRAM4（Assemble the Legs）
The tall feet (Part I) are installed on the front panel（PartC1）, and the short feet （Part F) are
installed on the back panel (Part C2) as shown. Pull open the zipper at the bottom of the footstool frame,
take out four feet（Part I）, and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D) using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		20pcs
5		20pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1）to the Seat frame （right）.
Connect the Armrest left （Part L2）to the Seat frame （left）.
They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Connecting the Seat frame）
Assemble the four seat frames together with screws M8X45mm and washers Φ8x22mm and nuts M8 by Wrench and Socket wrench as shown.

2		12pcs
5		24pcs
6		12pcs
7		1pcs
8		1pcs




DIAGRAM8（Install wooden strips）
Install 8 wooden strips（Part K）on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square.





DIAGRAM9（Removal of compressed bags）



TIPS：

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.







DIAGRAM11（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa. Put the Seat cushion（Part N）on the Pedal rack.






FINISH!



4+2+Center control-shaped



1.  Screws M6x18mm


2.  Screws M8x45mm

3.  Screws M8x35mm

4.  Washer ϕ6x16mm

5.  Washer ϕ8x22mm

6.  nut M8

7.  1×Socket wrench


8.  1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

4+2U+Center control ASSEMBLY INSTRUCTION

DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are 8 Side plates（Part B）, Connect the Triangular iron pieces（Prat G）（Part J） to the Side plates（Part B） with the Screws M6x18mm and the Washers Φ6x16mm by Wrench.


1		48pcs
4		48pcs
8		1pcs



x8

DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1） and the Back plate（PartC2） with the Side plates （Part B）with the Screws M6x18mm and the Φ8x22mmWashers by Wrench. Ensure that the Arrows on the four boards are facing in the same direction.

1		48pcs
4		48pcs
8		1pcs






DIAGRAM3（Assemble the Wooden square timbers）
Install the two wooden square timbers（Part H） on the Front plate（PartC1）
and the Back plate（PartC2） respectively with the Screws M8X45mm and
the ϕ8x22mm Washers by Wrench. The side of the Velcro on the wooden
square timbers should be in the same direction as the arrow on the side plates.

2		24pcs
5		24pcs
8		1pcs




DIAGRAM4（Assemble the Legs）
The tall feet (Part I) are installed on the front panel（PartC1）, and the short feet （Part F ）
are installed on the back panel (Part C2) as shown. Pull open the zipper at the bottom of the
footstool frame, take out four feet（Part I）, and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D) using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		20pcs
5		20pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1) to the Seat frame （right). Connect the Armrest left （Part L2) to the Seat frame （left). They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Install the Center console legs ）
Install foot（Part F)onto the center console（Part R）as shown.




DIAGRAM8（Assemble the Back frame of the Center console）
Connect the Back frame （Part T) to the the Center console（Part R） using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together.

3		3pcs
5		3pcs
8		1pcs




DIAGRAM9（Put the cushion （Part S) on the Center control）




DIAGRAM10（Connecting the Seat frame and the Center console）
Assemble four seat frames and the Center console together with screws M8X45mm and washers ϕ 8x22mm and nuts M8 by Wrench and Socket wrench as shown.

3		16pcs
5		24pcs
6		8pcs
7		1pcs
8		1pcs




DIAGRAM11（Install wooden strips）
Install 8 wooden strips on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square as shown.





DIAGRAM12（Removal of compressed bags）





TIPS：

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.







DIAGRAM14（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa.
Put the Seat cushion（Part N）on the Pedal rack as shown.






FINISH!



5+1L-shaped




1. Screws M6x18mm
2. Screws M8x45mm
3. Screws M8x35mm
4. Washer ϕ6x16mm
5. Washer ϕ8x22mm
6. nut M8
7. 1×Socket wrench
8. 1xWrench

NOTE:Take out of all parts from this box,make sure all parts you have Resceived before assebled

5+1L-shaped ASSEMBLY INSTRUCTION

DIAGRAM1（Assemble the Triangular iron pieces on the Side plates）
There are 10 Side plates（Part B）, Connect the Triangular iron pieces（Prat G）（Part J） to the Side plates（Part B） with the Screws M6x18mm and the Washers Φ6x16mm by Wrench.


1		60pcs
4		60pcs
8		1pcs



x10

DIAGRAM2（Assemble the Seat frame）
Connect the Front plate（PartC1） and the Back plate（PartC2） with the Side plates (Part B) with the Screws M6x18mm and the Φ8x22mmWashers by Wrench. Ensure that the Arrows on the four boards are facing in the same direction.

1		60pcs
4		60pcs
8		1pcs






DIAGRAM3（Assemble the Wooden square timbers）
Install the two wooden square timbers（Part H） on the Front plate（PartC1）and the Back plate（PartC2） respectively with the Screws M8X45mm and the Φ8x22mm Washers by Wrench. The side of the Velcro on the wooden square timbers should be in the same direction as the arrow on the side plates.

2		30pcs
5		30pcs
8		1pcs




DIAGRAM4（Assemble the Legs）
The tall feet (Part I) are installed on the front panel（PartC1）, and the short feet （Part F) are installed on the back panel (Part C2) as shown. Pull open the zipper at the bottom of the footstool frame, take out four feet（Part I）, and install them at the bottom of the footstool as shown.





DIAGRAM5（Assemble the Back frame）

Connect the Back frame （Part D) using M8X35mm screws and washer ϕ 8x22mm as shown. Then put Velcro pieces together. Please install the top Screws first , then bottom Screws. Make sure all the Screws are in the holes before tightening all the Screws.

3		25pcs
5		25pcs
8		1pcs







DIAGRAM6（Assemble the Armrest）

Connect the Armrest right （Part L1) to the Seat frame （right) .
Connect the Armrest left （Part L2) to the Seat frame （left) .
They all assemble with screws M8X35mm with washers ϕ 8x22mm by Wrench.

3		8pcs
5		8pcs
8		1pcs






DIAGRAM7（Connecting the Seat frame）
Assemble the five seat frames together with screws M8X45mm and washers Φ8x22mm and nuts M8 by Wrench and Socket wrench as shown.

2		16pcs
5		32pcs
6		16pcs
7		1pcs
8		1pcs




DIAGRAM8（Install wooden strips）
Install 8 wooden strips（Part K）on each seat frame. The two ends of the wooden strip have Velcro. Please align the middle position of the Velcro on both ends of the wooden strip with the marking line of the Velcro on the wooden square.





DIAGRAM9（Removal of compressed bags）



TIPS：

1. Please do not open the compressed packages until your sofa frameis completely assembled.
2. Compressed Seat cushions and Back cushion need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any smallpiecesof stuff.






DIAGRAM11（Place cushions on the sofa ）
Put the Seat cushions（Part A） and the Back cushions（Part E） on the sofa.
Put the Seat cushion（Part N）on the Pedal rack.





FINISH!

