
User Manual



MODEL: CP1156

*Please read, understand, and practice the guidelines in this user manual before use, and keep it for future reference.

Table of Contents

- Safety Warnings & Assembly Requirements 2
- MODEL: CP1156 4
- Maintenance 29
- Warranty 29

⚠ Important

We'd love to hear from our customers. If you have any questions about the manual or would like us to help in any way, please feel free to contact the support tearm. We will reply in 24 hours (business days).

Get support: ***maxlead.us@gmail.com*** ***302-261-5366***

You will not be able to obtaln warranty service In the following cases:

1. Damage caused intentionally
2. Failure to properly fix, install, and maintain the product according to the instructions
3. Damage caused by force majeure, including but not limited to earthquakes,hurricanes, sandstorms, mudslides,floods, tsunamis, etc.

Check the **Spam** and your **email Settings** if you do not receive a reply in time as it is probably blocked because our support team will always get back to you no later than the timeframe.

Safety Warnings & Assembly Requirements

Important

Read, understand, and practice all safety instructions and warnings before starting assembly. Keep this manual for future reference. For any damages, property loss, or personal injury caused by failure to follow these guidelines or improper assembly, the user assumes full responsibility.



Please ALWAYS weigh down your carports with expansion screws.



Please do NOT place something heavy on the top as the carports is designed to be a temporary structure.



Do NOT throw away the original packaging cartons in case of a return or an exchange.

1. Before You Start & Preparation

- **Local Regulations:** Check local building codes regarding footings, location, and permit requirements prior to construction.
- **Parts Inspection:** Unpack and identify all components against the parts list. Do not attempt assembly if any parts are missing or damaged. Please contact us for replacements for damaged or missing parts.
- **Original Packaging:** Do not discard the original packaging cartons until installation is complete, in case of a return or exchange.

2. Workforce & High-Altitude Safety

- **DANGER — High-Altitude Hazard:** This is a high-elevation structure. High-altitude assembly carries severe risks of serious injury or fatality. Professional installation by qualified personnel is strongly recommended.
- **Workforce Requirement:** Assembly requires a minimum of 2–4 adults working together. Single-person assembly is strictly prohibited. Ensure tasks are divided (e.g., positioning panels while handling tools and fasteners).
- **Worksite Safety:** Keep children and pets away from the work area at all times to prevent distraction and hazardous accidents.

3. Personal Protective Equipment (PPE) & Tool Safety

WARNING — Sharp Edges & Drop Hazards:

- **PPE Required:** Always wear a safety hard hat, cut-resistant work gloves, eye protection, long sleeves, and non-slip safety shoes during assembly and maintenance.
- **High-Altitude Gear:** An OSHA-compliant full-body safety harness is strongly recommended for high-altitude work.

Tool Handling: Exercise caution with all assembly tools and ensure full familiarity with the operation of power tools.

4. Site, Ground & Anchoring Safety

- **Ground Conditions:** Install exclusively on flat, solid, and level ground. Exercise extreme caution on wet or muddy ground.
- **Anchoring & Weigh-Down Requirements:**
  Always weigh down and anchor the carport frame using expansion screws.
  Do not remove temporary supports until permanent anchoring is completely secured.

5. Elevation & Structural Load Rules

WARNING — Fall & Collapse Hazard:

- **Ladder & Platform Safety:** Always use dedicated ladder platforms or scaffoldings when working at height. When using a step ladder, ensure it is fully open and positioned on level ground.
- **No Weight on Frame/Roof:** Never step, stand, or lean directly on metal pipes, frame crossbeams, or roof sheets. Never concentrate your total body weight on the roof.
- **No Heavy Loads:** Do not place heavy objects on top of the structure. It is designed as a temporary shelter only.

6. Weather & Maintenance Warnings

CAUTION — Environmental Hazards:

- **Weather Conditions:** Assemble only on dry, calm days. Do not attempt assembly during windy, rainy, or severe weather. Large panels act as a "sail" in wind, making construction extremely unsafe.
- **Severe Weather Protocol:** Apply comprehensive reinforcement measures prior to high wind or blizzard warnings. In extreme weather scenarios, evacuate all vehicles and equipment from the shelter immediately.
- **Snow & Ice Removal:** Promptly clear accumulated snow and ice from the roof to prevent structural overload and collapse.
- **Routine Inspection:** Inspect and retighten all connection bolts, and check ground anchors for looseness every 3 months.

7. Structure Usage & Waterproofing Guidelines

- **No Structural Modifications:** Unauthorized cutting, drilling, welding, or altering of the primary steel frame is strictly prohibited.
- **Temporary Non-Residential Structure:** This product is engineered solely for vehicle parking and outdoor storage. It is not a permanent building; long-term human habitation is strictly prohibited.
- **Waterproofing Installation:** Roof panels consist of overlapping iron sheets. Apply the included waterproof sealing strips along all joints during assembly to ensure a watertight seal.


Disclaimer


The manufacturer and distributor disclaim all liability for product failure, property damage, or personal injury resulting from improper assembly, failure to follow these instructions, or unauthorized modifications.


MODEL: CP1156

Parts List

You'll receive 8 boxes for this model. Please pay particular attention to making sure all parts are numbered and graphically indexed as shown on the Parts List, so does the quantity for each part. If you need any help, please contact us promptly with the **ORDER NUMBER, REQUIRED PARTS (NAME, QUANTITY, and PART NUMBER), PICTURES (OR VIDEO CLIPS, IF APPLICABLE**), we'll get back to help out soon.




Part no.	Reference Image	Qty.
ETP1		40
ETP3		8
EL1		2
ER1		20
A1		4
A15		2
A4		12
A6		12
A8		20
A10		20
A12		6
A14		8
AC2		6
S12		1502
C68		120
S11		28


Part no.	Reference Image	Qty.
ETP2		40
ETP4		12
EL2		2
LGG		2
A2		2
A3		2
A5		12
A7		12
A9		20
A11		10
A13		8
AC1		12
L8		40
S13		36
M32		20
K1		8

Part no.	Reference Image	Qty.
L13		20
Waterproof tape		2

Part no.	Reference Image	Qty.
Wrench		1



AC1
AC2
A5
A7
S12
A12
L8
S13
A6
A4
×12
×6
×12
×12
×192
×6
×36
×36
×12
×12

PART A


L8
× 2
L8
× 2
A12
A7
AC2
A6
A6
5″
5″
AC1
AC1
A12
A7
A7
A5
A5
A4
A4
×6
S13
S13
S12


C68	S12
×120	×240

PART B



A1	A2	A15	A3	S12	L8	K1
×4	×2	×2	×2	×64	×4	×8

STEP 1




S12



×16

STEP 2

It is recommended to stand the two faces containing A12 opposite each other




S12




×32

STEP 3




A8	S12
×20	×80

STEP 4




S11




×20


STEP 5



X=Y


TIPS: After installing the top, measure the distance of the base, adjust it to the correct value, and fix the base.






A14	S12
×8	×16

STEP 6




A9	S12	L13
×5	×30	×5

STEP 7




A9	A10	A11	S12	L13
×5	×10	×5	×90	×5

STEP 8




A9	A10	A10	S12	L13
×10	×10	×5	×120	×10

STEP 9




ETP3	ETP4	S12
×4	×6	×36

STEP 10




ETP3	ETP4	S12
		
×4	×6	×36

STEP 11




EL1	EL2	S12
×2	×2	×12


STEP 12




ETP1	ETP2	S12
×1	×1	×11


STEP 13




ETP1	ETP2	S12
		
×19	×19	×229

STEP 14




ETP1	ETP2	S12
		
×1	×1	×11

STEP 15




ETP1	ETP2	S12	Waterproof tape	ER1
×1	×1	×14		×2


STEP 16




ETP1	ETP2	S12	Waterproof tape	ER1
×18	×18	×253		×18

STEP 17




LGG	S12
	
×2	×4

STEP 18



A13	S12	S11
×8	×16	×8


STEP 19



M32

×20

STEP 20



Maintenance

To help you maintain your carport in optimal condition, please refer to our suggestions below.

- Wash all surfaces annually using a hose and soft nylon brush.
- Within 2 km of coast – wash every 3 months as above. After a storm, wash the cladding and the gutters as soon as possible to remove any highly corrosive salt deposits.
- Volcanic Ash Fallout – wash as soon as possible, removing fall out from roof and gutters.
- Do not allow manures, chemicals or other corrosive materials to have direct contact with cladding.

Warranty

The limited warranty covering the materials and the craftsmanship under normal use and service conditions takes effect from the purchase date (on the invoice). Please note that the order purchase proof (order number or shipping information on the shipping carton) is the only valid evidence to claim for warranty.

- All components of our product come with comprehensive after-sales service support.

Reminder

1. In the event that you failed to access your order information online, we strongly advise you to keep the original packaging and shipping carton(s) because they are treated as a proof of purchase.
2. To get what you need as soon as possible, we strongly suggest you provide all of the following information **at your first inquiry**:

   Order number
   Required parts (name, quantity, and part number)
   Quantity required for each part
   Pictures (or video clips, if applicable)

Warning

Restructuring the product without written permission from our in advance would VOID the warranty.

- Damages due to improper use in severe weather conditions, including but not limited to strong winds, heavy rain, snowstorms, etc., will NOT be covered by the warranty.

Get Support: maxlead.us@gmail.com
302-261-5366

MADE IN CHINA

2603034136