


MODEL:IG10600047-1111



OWNER'S MANUAL

Tranquil Grove 11' x 11' Cedar Framed Hardtop Pavilion

TABLE OF CONTENTS

ASSEMBLY GUIDE.....	02
USING YOUR PRODUCE.....	04

May 20, 2024

QUESTIONS?



E-mail: support@modernshade.org







































Toll Free: 1-888-666-3070
























Mon-Fri: 9:00 ---17:00 PST.

ASSEMBLY GUIDE

PARTS LIST

A Post (4 Piece) 	B Foot Base (4 Piece) 	C Foot Cover (4 Piece) 	D1 Cross Beam 1 (4 Piece) 	D2 Cross Beam 2 (4 Piece) 	D3 Cross Beam 3 (4 Piece) 
P0008008754	P0008008755	P0008008756	P0008008757	P0008008758	P0008008759
D4 Cross Beam 4 (4 Piece) 	D5 Cross Beam 5 (4 Piece) 	E1 Support Bracket 1 (4 Piece) 	E2 Support Bracket 2 (4 Piece) 	F1 Roof Rib 1 (4 Piece) 	F2 Roof Rib 2 (4 Piece) 
P0008008760	P0008008761	P0008008762	P0008008763	P0008008764	P0008008765
G Middle Cross Beam (4 Piece) 	H1 Mosquito Net Rod 1 (4 Piece) 	H2 Mosquito Net Rod 2 (4 Piece) 	J1 Roof Support 1 (8 Piece) 	J2 Roof Support 2 (8 Piece) 	J3 Roof Support 3 (4 Piece) 
P0008008766	P0008008767	P0008008768	P0008008769	P0008008770	P0008008771
K1 Roof Border 1 (4 Piece) 	K2 Roof Border 2 (4 Piece) 	L Roof Top Border (4 Piece) 	M1 Connector 1 (4 Piece) 	M2 Connector 2 (4 Piece) 	M3 Connector 3 (1 Piece) 
P0008008772	P0008008773	P0008008774	P0008008775	P0008008776	P0008008498
N1 Roof Rib Cover 1 (4 Piece) 	N2 Roof Rib Cover 2 (4 Piece) 	N3 Roof Rib Cover 3 (1 Piece) 	P1 Roof Plate 1 (4 Piece) 	P2 Roof Plate 2 (4 Piece) 	P3 Roof Plate 3 (4 Piece) 
P0008008778	P0008008779	P0008008780	P0008008781	P0008008782	P0008008783
P4 Roof Plate 4 (4 Piece) 	P5 Roof Plate 5 (4 Piece) 	P6 Roof Plate 6 (4 Piece) 	P7 Roof Plate 7 (4 Piece) 	P8 Roof Plate 8 (4 Piece) 	Q Hook (1 Piece) 
P0008008784	P0008008785	P0008008786	P0008008787	P0008008788	P0008008594

HARDWARE

AA Bolt M5*25 (64+3 Piece) 	BB Bolt M5*40 (56+3 Piece) 	CC Bolt M8*35 (16+1 Piece) 	DD Bolt M10*80 (8+1 Piece) 	EE Bolt M6*20 (200+10 Piece) 	FF Bolt M6*45 (8+1 Piece) 
H0008008098	H0008008122	H0008008099	H0008008123	H0008008036	H0008008016
GG Bolt M8*25 (24+1 Piece) 	HH Bolt M10*205 (8+1 Piece) 	JJ Anti-slip Screw Nut M10 (8+1 Piece) 	KK Four-claw Screw Nut M8*8 (40+2 Piece) 	LL M6 Flat washer (212+11 Piece) 	MM M8 Flat washer (56+3 Piece) 
H0008008124	H0008008125	H0008008126	H0008008127	H0008008056	H0008008057
NN M10 Flat washer (24+2 Piece) 	PP M6 Sealant Washer (12+1 Piece) 	QQ Double Open End Wrench M6/M8 (2 Piece) 	RR Wrench M10 (2 Piece) 	SS M6 Allen Key (2 Piece) 	TT M8 Allen Key (2 Piece) 
H0008008058	H0008008060	H0008008062	H0008008128	H0008008133	H0008008129
UU Concrete Anchor M6*60 (8 Piece) 	VV Bolt M6*35 (4+1 Piece) 	WW Bolt M8*35 (16+1 Piece) 			
H0008008095	H0008008116	H0008008131			

IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: Leave these instructions with the consumer.

SAFETY ALERT KEY

⚠ DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

⚠ CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

⚠ WARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

NOTICE

Indicates information considered important, but not hazard-related (e.g. messages related to property damage).

ASSEMBLY INSTRUCTIONS


- Please carefully unpack each of the components and hardware. check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

⚠ CAUTION

Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

STEP 01 Slide Foot Cover **[C]** onto the bottom of Post **[A]**. Attach Foot Base **[B]** to Post **[A]** with one (1) M5x25 Bolt **[AA]** on each side. Slide the Foot Cover **[C]** down to cover the Foot Base **[B]**. Repeat this process to make three (3) more posts.


[AA] x 16



- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.

STEP 02 Connect Cross Beam 1 **[D1]** to Cross Beam 2 **[D2]** using two (2) M8x8 Four Claw Screw Nuts **[KK]** on the front side, and two (2) M8x25 Bolts **[GG]** and two (2) M8 Flat Washers **[MM]** on the other side. Repeat this process to make three (3) more assemblies.



[GG] x 8
[KK] x 8
[MM] x 8



STEP 03 Insert two (2) M8x8 Four Claw Screw Nuts **[KK]** into the front side of Cross Beam 3 **[D3]** on both ends. Repeat on the other three (3) assemblies.

Insert two (2) M8x8 Four Claw Screw Nuts **[KK]** into the holes on the back of all Cross Beam 4s **[D4]** and Cross Beam 5s **[D5]**.


[KK] x 32



STEP 04 Attach one (1) Cross Beam 5 [D5] to each end of Cross Beam 3 [D3] using one (1) M8x25 Bolt [GG] and one (1) M8 Flat Washer [MM] per hole. Repeat to make another assembly.


Attach one (1) Cross Beam 4 [D4] to each end of Cross Beam 3 [D3] using one (1) M8x25 Bolt [GG] and one (1) M8 Flat Washer [MM] per hole. Repeat to make another assembly.

[GG] x 16
[MM] x 16




[BB] x 28

STEP 05 Lay the Cross Beam [D1] + [D2] assembly from step 2 flat. Lay the Cross Beam [D4] + [D3] + [D4] assembly from step 4 on top. Attach the two together with fourteen (14) M5x40 Screws [BB]. Repeat to make another side panel assembly.



STEP 06 Lay the Cross Beam [D1] + [D2] assembly from step 2 flat. Lay the Cross Beam [D5] + [D3] + [D5] assembly from step 4 on top. Attach the two together with fourteen (14) M5x40 Screws [BB]. Repeat to make another side panel assembly.


[BB] x 28



STEP 07 Attach Cross Beam assembly [D5] from step 6 to two (2) Posts [A]. Position the side with Cross Beam 1 [D1] on the left. Attach using one (1) M10x80 Bolts [DD], one (1) M10x205 Bolts [HH], three (3) M10 Flat Washers [NN] and one (1) M10 Anti-Slip Screw Nuts [JJ] on one end. Repeat with the other end.

Repeat the entire process to make the other side of the gazebo.


[DD] x 4
[HH] x 4
[JJ] x 4
[NN] x 12



STEP 08 Attach the Cross Beam **D4** assembly from step 5 between the two sides of the gazebo made in step 7.


Position the side with Cross Beam 1 **D1** on the left. Attach using one (1) M10x80 Bolts **[DD]**, one (1) M10x205 Bolts **[HH]**, three (3) M10 Flat Washers **[NN]** and one (1) M10 Anti-Slip Screw Nuts **[JJ]** on one end. Repeat with the other end.

Repeat with the other Cross Beam **D4** assembly from step 5.




STEP 10 Attach one (1) Connector 1 **M1** on top of each Post **A** using eight (8) M5x25 Bolts **[AA]**. Make sure the top of the connector is pointing into the gazebo.

[AA] x 32




STEP 09 Facing one side of the gazebo, attach Support Bracket 1 **E1** to the Post **A** on the left and Support Bracket 2 **E2** to the Post **A** on the right using two (2) M8 Flat Washer **[MM]** and M8x35 Bolts **[CC]** for the bottom holes. Attach the Support Brackets to the Cross Beams using two (2) M8 Flat Washers **[MM]** and two (2) M8x35 Bolts **[WW]**. Repeat with the rest of Support Bracket 1 **E1** and Support Bracket 2 **E2**.

[CC] x 16
[WW] x 16
[MM] x 32




STEP 11 Attach one (1) Roof Rib 1 **F1** to each Connector **M1** using one (1) M6x20 Bolt **[EE]** and one (1) M6 Flat Washer **[LL]** on each side.

[EE] x 8
[LL] x 8




STEP 12 Connect four (4) Roof Top Borders **L** together using one (1) M6x20 Bolt **EE** and one (1) M6 Flat Washer **LL** in each hole.

EE x 4
LL x 4




STEP 13 Attach one Roof Rib 2 **F2** into each corner of the assembly from the last step. Use one (1) M6x20 Bolt **EE** and one (1) M6 Flat Washer **LL** in each hole.

EE x 8
LL x 8




STEP 14 Attach Connector 3 **M3** between the four Roof Rib 2s **F2** using one (1) M6x20 Bolt **EE** and one (1) M6 Flat Washer **LL** in each hole.

EE x 4
LL x 4




STEP 15 Attach the entire assembly from the last step to the top of the gazebo's Roof Rib 1s **F1** using one (1) M6x20 Bolt **EE** and one (1) M6 Flat Washer **LL** on each side.

EE x 8
LL x 8




STEP 16 Attach one Connector 2 **M2** to the bottom of one (1) Middle Cross Beam **G** with the wings pointing toward the hooked end. Repeat three (3) more times to finish all four cross-beam assemblies.

[EE] x 8
[LL] x 8




STEP 17 Attach Middle Cross Beams **G** from step 16 to the gazebo from the middle of each side to the roof top assembly. Use two (2) M6x20 Bolts **[EE]** and two (2) M6 Flat Washers **[LL]**.

[EE] x 8
[LL] x 8




STEP 18 Attach one (1) Roof Support 3 **J3** between each set of Roof Rib 2s **F2** at the top of the gazebo.

[EE] x 8
[LL] x 8




STEP 19 Attach two (2) Roof Support 1s **J1** to each side of the gazebo in the lowest set of holes in the roof ribs and middle cross beams.

[EE] x 16
[LL] x 16




STEP 20 Attach two (2) Roof Support 2s **J2** to each side of the gazebo in the middle set of holes in the roof ribs and middle cross beams.

[EE] x 16
[LL] x 16




STEP 21 On each side of the gazebo, attach one (1) Roof Border 1 **K1** on the left and one (1) Roof Border 2 **K2** on the right along the bottom of the roof.

[EE] x 12
[LL] x 12




STEP 22 Secure the Roof Borders **K1** and **K2** at the center with one (1) Connector 2 **M2** placed over the middle cross beam and attached with four (4) M5x25 Bolts **AA**.

[AA] x 16






STEP 23 Facing a side of the gazebo, attach one (1) Mosquito Net Rod 1 **H1** on the left and one (1) Mosquito Net Rod 2 **H2** on the right. Connect them to the connectors at the corner and center of each side using M6x20 Bolts **EE** and M6 Flat Washers **LL**.

[EE] x 16
[LL] x 16




STEP 24 Add four (4) Roof Plates **P8** to the top of the gazebo using M6x20 Bolts **EE** and M6 Flat Washers **LL** in all holes.

EE x 24
LL x 24





STEP 25 Cover the corners between the Roof Plates **P8** using four (4) Roof Rib Cover 2s **N2**. Attach them with one (1) M6x35 Bolt **VV**, one (1) M6 Flat Washer **LL**, and one (1) M6 Sealant Washer **PP** per hole.

VV x 4
LL x 4
PP x 4




STEP 26 Snap the Roof Rib Cover 3 **N3** onto the top of the roof. From inside the gazebo, screw the Hook **Q** into the bottom of the Roof Rib Cover 3 **N3**.




STEP27 Build the roof by installing the Roof Plates in this order from left to right: Roof Plate **P1** , Roof Plate **P3** , Roof Plate **P5** , Roof Plate **P7** , Roof Plate **P6** , Roof Plate **P4** , and Roof Plate **P2** . Use one (1) M6x20 Bolt **[EE]** and one (1) M6 Flat Washer **[LL]** per hole. Repeat on all four sides of the gazebo.

[EE] x 60
[LL] x 60




STEP 28 Along the vertical seams of the roof, attach one Roof Rib Cover 1 **N1** using one (1) M6x45 Bolt **FF**, one (1) M6 Flat Washer **LL**, and one (1) M6 Sealant Washer **PP** per hole.

FF x 8
LL x 8
PP x 8



STEP 29 Insert two (2) Concrete Anchors **UU** into each Foot Base **B** and bolt to the ground. Ensure bolts are fully tightened to the ground. Slide the Foot Cover **C** back into place at the bottom of the post.


UU x 8



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 29, on page 12 in the assembly instructions is not properly completed, this will void the warranty.



WARNING! If your gazebo is not properly anchored, damage could occur. It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.



If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

CAUTION

DO NOT climb or walk on roof for any reason.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
 - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
 - As load bearing support for a building, structure, heavy objects or swings.
 - Used in structures that trap wind, rain or snow that would create extra load on the product.
 - Accumulated snow must be removed from roof.
 - DO NOT climb or walk on roof for any reason.

LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part (s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

