



Caxton® | K-2210-G

19-1/4" oval undermount bathroom sink with glazed underside, no overflow

Features

- Oval basin with glazed underside
- No faucet holes; requires wall- or counter-mount faucet
- Fits standard 14" x 17" (356 x 432 mm) countertop cutout
- Without overflow



Available Colors/Finishes

Color tiles intended for reference only.

- | | |
|----|---------|
| 0 | White |
| 96 | Biscuit |



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 23:27 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651

ASME A112.19.2/CSA B45.1
ADA
ICC/ANSI A117.1
CSA B651

Technical Information

Drain Hole Diameter: 1-3/4" (44 mm)
Basin Configuration: Single Bowl
Basin Length: 17" (432 mm)
Basin Width: 14" (356 mm)
Basin Depth: 4-7/16" (112 mm)

Material

- Vitreous china

Recommended Products/Accessories





K-23726 Drain treatment
K-8998 Adjustable P-trap with tubing outlet, 1-1/4" x 1-1/4"
K-23725 Cast iron cleaner

Warranty

See website for detailed warranty information.

KOHLER® Vitreous China Bathroom Sink Lifetime Limited
Warranty





Installation

- Undermount

Installation Notes

Install this product according to the installation instructions.

NOTICE: Countertop manufacturer or cutter must use the current product template available at www.kohler.com, or by calling 1-800-4KOHLER. Kohler Co. is not responsible for cutout errors when the incorrect cutout template is used. Supplied basin clamp assemblies require 1" (25 mm) minimum countertop thickness. Installer must supply anchors for thinner countertops. Product dimensions are nominal and may vary per ASME A112.19.2 tolerances. ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

