











Criss Cross Chair

Thank you for purchasing the office Chair, Please read the instructions and warnings carefully before use, to ensure safe and satisfactory operation of this product.



At Olalavie we are committed to making great products possible. From our in-house Design Team, to our Buyers, we work together to bring great designs to life . Our expert Product Technologists work collaboratively with our buyers and suppliers to assure the legality , safety and quality of the product we sell . We are all committed to designing and developing products to the highest industry standards. We hope you are happy with your product and welcome any feedback or comments you may have.

Email: service@olalavie.com



PARTS LIST

Ax1	Bx1	Cx1	Dx4	Ex5
				
Fx1	Gx1	Hx1	Ix1	Jx1
				
Kx9				
				

HARDWARE LIST

1x5	2x19	3x4	4x4	5x1
				
M6x14mm	M6x20mm	M6x25mm	M6x35mm	Allen key
6x1				
				
Allen key				


SPARE

1x1	2x1	3x1	4x1	
				
M6x14mm	M6x20mm	M6x25mm	M6x35mm	


Be sure to check all packing material carefully for small parts, which may have come loose inside the cart on during shipment.

ASSEMBLY INSTRUCTION

STEP 1 Start with the star-shaped base. Remove part J from the center shaft first. Then insert the 5 caster stems into the base. Pay close attention to which side faces up —make sure the orientation is correct before pushing them in




STEP 2




ASSEMBLY INSTRUCTION

STEP 3

Press the caster wheels (part **K**) firmly onto the stems until you hear a "click" locking sound. Just use steady, straight-down pressure




STEP 4 Flip the base over. Snap part **J** into the center of the base, then install the gas lift cylinder (part **H**)




ASSEMBLY INSTRUCTION

STEP 5 Now move to the seat back. Take the backrest (part A) and unzip the zipper on the back side.




STEP 6 Take the support rod (part H). The longer end—the one with 6 screw holes—goes against the backrest. Use screw #4 to attach it to the back of the backrest.




ASSEMBLY INSTRUCTION

STEP 7 Once the backrest support is securely in place, zip the zipper back up.



STEP 8


Now install the seat cushion (part B). Take the height adjustment lever (part G) and secure it to the underside of the seat cushion using screw #2. Then, take the pre-assembled backrest section and install the other end of the support rod into the pre-drilled hole underneath the seat cushion.




ASSEMBLY INSTRUCTION

- STEP 9** Take the padded ottoman (part C) . First, use the screwdriver to slightly loosen the connecting plate underneath it. Then, adjust the plate to the vertical position as shown in the diagram.

Loosen this screw first, then straighten the steel plate.



STEP 10



Tighten all screws securely.

ASSEMBLY INSTRUCTION

STEP 11 Install the ottoman legs. Take the legs (part D) and attach them to the bottom of the padded ottoman. Then install the casters onto the legs.





STEP 2

Fully secure it with a wrench.


STEP 3

STEP 1

Tighten the screw by hand 80% torque.



STEP 12




Take the chair base assembly you put together in Step 1. Attach the connecting plate onto the gas lift cylinder.

ASSEMBLY INSTRUCTION

STEP 13

Carefully place the pre-assembled backrest and seat cushion section (as one piece) onto the gas lift cylinder.



STEP 14

Assembly is complete! Give all screws one final check to make sure everything is tight, and enjoy your new chair.



MAINTAINANCE AND WARNING

Keep furniture away from heat.

- ⌘ Do not clean furniture with harsh cleansers or polish. Do not use detergents, Solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water clean spills(Mix 1:10 soap to water)
- ⌘ Do not place furniture under direct sunlight, material will possibly fade over time.
- ⌘ Do not use on site dry Cleaning machine.
- ⌘ Children should not climb or jump on the furniture.
- ⌘ Do not write on furniture without a padded barrier to protect the surface.
- ⌘ Not for commercial use, For residential use only.
- ⌘ The maximum load is 275 LBS.

WARRANTY

We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed. We provide 30 days warranty starting from the time you receive the item. Each customer must provide a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive replacement parts by purchasing them with our company if they are available.

Are you having difficulty with assembly? Missing parts? Please send email with your order No to **service@olalavie.com**