
Installation Instruction




Assembling

Estimated time for assembly

45:00


What you need

- Use the packaging carton as a working surface to prevent product damage during assembly
- Phillips head screwdriver



Weight Limitation

60 lbs table top | 30 lbs per shelf




What's included

Code	Description	Qty
A	Cam Bolt M6X35MM	16
B	Cam Lock 15X10MM	16
C	Wooden Dowel M8X30MM	14
D	Screw M4X35MM	6
E	Screw M4X14MM	2
F	Handle	2
G	Screw M3X12MM	4
H	Bolt M6X15MM	4
I	Plastic Stopper	4
J	Metal Connector	2
K	Anchor M6X30MM	2
L	Left Plastic Holder	2
M	Sticker	16
N	External shaft	4
O	Screw M4X14MM	24
R	Right Plastic Holder	2

The Hardwares


Ⓐ




Ⓑ



Ⓒ




Ⓓ



Ⓔ



Ⓕ




Ⓖ




Ⓗ




Ⓘ




Ⓙ



Ⓚ



Ⓛ



Ⓜ




Ⓝ



Ⓞ




Ⓡ



IMPORTANT:


1. Do not tighten bolts / screws completely until all bolts / screws are lined up and inserted into holes.
2. Do not over tighten screws and bolts to avoid stripping.
3. Please use hand tools to assemble this product. Do not use power tools.
4. Must need 2 people to assemble this product.




Included Accessories


Code	Description	Qty
1	Cabinet Top	1
2	Left Side Panel	1
3	Right Side Panel	1
4	Bottom Panel	1
5	Bottom Back Stretcher	1
6	Middle Back Stretcher	1
7	Top Back Stretcher	1
8	Large Partition Board	4
9	Small Partition Board	2
10	Front Panel	1


The Accessoriess







STEP 1







STEP 2













STEP 3







STEP 4







STEP 5











All open slots can be covered with port covers


STEP 6

F	G	L	R	O
x2	x4	x2	x2	x20





STEP 7




STEP 8

O




x4









Two people work together to move the cabinet.
Make sure you lift it off the ground.
Don't push and pull.