

Assembly Instructions

N778P410821

Caution: You must read these Assembly Instructions before you proceed

Care & Maintenance



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.



- Children should not climb or jump on the furniture.



- Do not write on furniture without a padded barrier to protect the surface.



- To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.



- Not for commercial use. For residential use only.




- Stains may be removed with mild soap solution and damp cloth.








- Dust and pick-up spills using a clean, non-colored, lint- free cloth.




Please look in Corners of carton for hardware packs







BENCH 3 SEATER



Caution: This Bench 3 seater is NOT a TOY.
Keep your child/children at bay during the assembly process.
Whenever lifting the bench 3 seater and to prevent damage to the Bench 3 seater two adults are needed to execute this action.


Parts List			
Label	Picture	Description	Qty
A		Top Backrest	1
B		Bottom Backrest	1
C		Straight Backrest	3
D		Seat Frame	1
E		Left Arm Frame	1
F		Right Arm Frame	1
G		Leg	5
			3 OF 9

Parts List			
Label	Picture	Description	Qty
H		Seat Cushion	1
I		Back Cushion	2
J		Round Cushion	2

Hardware			
No.	Picture	Description	Qty
①		Bolt (M6 x 60mm)	3
②		Bolt (M6 x 55mm)	7
③		Bolt (M6 x 40mm)	4
④		Bolt (M6 x 35mm)	13
⑤		Sleeve Nut (M6 x 18mm)	13
⑥		Nut M6	3
⑦		Allen Wrench	2
⑧		Wooden pegs	9
⑨		Bolt (M6 x 75mm)	1
		Screwdriver	Not provided
4 OF 9			

Assembly Preparation

Before Beginning Assembly:



☒ Read instructions, cover to cover.



☒ Have 2 adults on hand for assembly.



☒ Do not assemble on flooring or carpet.




☒ Assemble on a clean non-marring surface (packing foam).



☒ Save all packaging until finished.

Assembly Steps

OVERVIEW




This Bench has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Bench parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Assembly Preparation


Before Beginning Assembly

Step 1



Unpack and place all parts on clean, non-marring surface.

Step 2




Step 2.1: Attach the Top Backrest (A) to Straight Backrest (C) using Bolt ((3)) and Wooden pegs ((8)) with Allen Wrench ((7)).

Step 2.2 + 2.3: Attach the Bottom Backrest (B) to Straight Backrest (C) using Bolts ((2)), Sleeve Nuts ((5)) Wooden pegs ((8)) with Allen Wrench ((7)).

Fully tighten the Bolts.


Assembly Steps

Step 3



Use your hands to twist the 5pcs Legs (G) into the Seat Frame (D) as shown in the picture above.

Step 4



Attach Backrest to the Seat Frame (D):

4.1: using Bolts (4) with Allen Wrench (7) as show in the picture.


4.2: using Bolts (4) Sleeve Nuts (5) with Allen Wrench (7) as show in the picture

4.3: using Bolt (9) Sleeve Nuts (5) with Allen Wrench (7) as show in the picture.

DO NOT fully tighten the Bolts.

Assembly Steps


Step 5



Step 5.1: Attach the Right Side Frame (F) to the Seat Frame (D) using Bolts (4) and Sleeve Nuts (5) with Allen Wrench (7).

Step 5.2: Attach the Right Side Frame (F) to the Bottom Backrest (B) using Bolt (1) and Nut (6) with Allen Wrench (7) and Screwdriver, as shown in the picture above. **DO NOT fully tighten the Bolts.**

Step 6




Step 6.1: Attach the Left Side Frame (E) to the Seat Frame (D) using Bolts (4) and Sleeve Nuts (5) with Allen Wrench (7).

Step 6.2: Attach the Left Side Frame (E) to the Bottom Backrest (B) using Bolt (1) and Nut (6) with Allen Wrench (7) and Screwdriver, as shown in the picture above. **DO NOT fully tighten the Bolts.**

Assembly Steps

Step 7



Inspect the Bench 3 Seater and make sure all parts are adequately connected.

Then EXERT pressure, floorwards onto the Bench 3 Seater with both hand

This pressure will help align all parts at all joints.

In a sequential manner, tighten all Bolts and Screws at all joints.

Adjust the Levellers until the Bench 3 Seater is level with the ground.

To adjust the Levellers, get assistance from an adult partner to lift/lean and hold the Bench 3 Seater while you are working.

CAUTION : When tightening these screws and bolts, tighten sequentially.

DO NOT tighten any screw or bolt fully and then move towards the next one. This could cause the frame to warp.

WARNING!! IF THE BENCH 3 SEATE IS NOT STABLE , IT COULD LEAD TO DAMAGING THE PRODUCT.

Put Seat cushion (H),Back cushion (I) and Round Cushion (J) to the Bench 3 seater as show above.

Your Bench 3 seater is ready for use.

This Bench 3 seater can only be used on a flat, level surface.