
## **ASSEMBLY INSTRUCTION**


# SUN LOUNGER BENCH




WF301634; WF301635; WF301636

#### Notice:

- 1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
- 2. Place the item on a flat ground to adjust and make sure it remains stable.
- 3. Tighten up all screws with tools gradually.4. If the screws are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
- 5. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
- 6. Note: If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.



### Part List & Hardware



## Part List & Hardware


1	2	3	4
M6x35mm (51pcs)	M6x20mm (22pcs)	Nuts (8 pcs)	Ø6 x 14 mm (79 pcs)
5	6	7	8
Allenkey 4x 70mm (2pcs)	Plastic longden Ø6 x 14 mm (10 pcs)	M6x100mm (2 pcs)	Air Lifter 160N (2 pcs)
Nuts (2 pcs)	M4 Screw (4 pcs)	11	Wrench (1 pc)




### WF301634








(R) x3











J




T


WF301635

 $\bigcirc$ 













(K)










**W** x4




(A) x4

**B** x4




#### **CARTON CONTENT:**


#### WF301636







### AI INCLUDED BOX-WF301636











08 / 19




























### **Step 20:**



### **Step 21:**




### **Step 20:**




L\*3 | R\*3 | S\*2

### **Step 21:**



L \*1 T \*1

Step 22: Pull up the table top and the steel bars



**Step 23: Put the Plastic Wheel into the position** 

