



ASSEMBLY INSTRUCTION




















Notice:

1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
2. Place the item on a flat ground to adjust and make sure it remains stable.
3. Tighten up all screws with tools gradually.
4. If the screws are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
5. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
6. Note : If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.


Explored View x2



PART LIST

 Ax3	 Bx3	 Cx2	 Dx2
 Ex3	 Fx3	 Gx2	 Hx2
 Ix1	 Jx1	 Kx2	 Lx1
 Mx4	 Nx1	 Ox1	 Px2
 Qx2	 Rx1		


HARDWARE LIST




1- Washer : 94 pcs
Extra : 2 pcs




2- Bolt 6x15:20 pcs




3- Bolt 6x20: 24 pcs
Extra : 2 pcs




4- Bolt 6x25: 3pcs



5- Bolt 6x40 : 44 pcs
Extra : 2 pcs




6- Nut : 3 pcs



**7- Keeper Plate :
8 pcs**






















8- Allen key : 2 pcs




9- Key : 1 pcs

CARTON CONTENT :




Step 1



x2


D



C


Cx1 Dx1 ①x2 ⑤x2

Step 2



x2

A




Ax1 ①x4 ⑤x4

Step 3



x2




Bx1 ①x4 ⑤x4

Step 4




x2



Ex1 **Fx1** ①x4 ⑤x4

Step 5




x2



Gx1 Hx1 ①x10 ③x8 ④x1 ⑥x1

Rotate the part (G),(H) to be matched with the part (E),(F) at ticker (1) (2)



Step 6





x2

Kx1 Mx1



Step 7



Step 8





Step 9




Bx1 ①x4 ⑤x4

Step 10




Ex1 Fx1 ①x4 ⑤x4

Step 11





Ix1 **J**x1 **1**x10 **3**x8 **4**x1 **6**x1

Step 12





L x1 **M** x1

Step 13






Px1 Qx2 ①x8 ②x8 ⑦x4

Step 14



Px1 ①x8 ②x8 ⑦x4

Step 15



R

Nx1 ①x4 ②x4

Step 16

