


# ASSEMBLY INSTRUCTIONS



## ASSEMBLY RATING

The Assembly Rating is a 5-point system that shows the degree of effort needed in assembling a specific product (with 1 being easy and 5 being difficult). For some products, two persons are recommended.

## Tools Required For Assembly:

Allen Wrench



Wrench



EASY



DIFFICULT




2 PERSONS RECOMMENDED

# ASSEMBLY & CARE ADVICE

FOR YOUR FURNITURE TO LAST, CORRECT ASSEMBLY AND PROPER MAINTENANCE ARE NECESSARY. PLEASE FOLLOW THE INFORMATION PROVIDED BELOW TO FULLY ENJOY YOUR FURNITURE.


## BASIC ASSEMBLY TECHNIQUES




1 When lock or spring washer is used in an assembly, please make sure the lock or spring washer is placed between the larger flat washer and the head of the screw or bolt.




2 Position each part correctly and insert screws or bolts into their respective holes by hand tighten or using the proper hand tool. Only tighten when step is completed or when instructed to do so.




3 Use cardboard or carpet area when assembling furniture to prevent scratches. Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.



4 Some furniture comes with height adjustment knobs underneath each leg. To lower or to raise each leg, you need to turn clockwise or counterclockwise, respectively.



5 Make sure all parts are properly aligned, then use the appropriate hand tool to completely tighten the bolts or screws. Do not use power tools and do not overtighten.



6 Save the instructions and store the Allen wrench or any supplied tool for later maintenance. After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.





**FAILURE TO FOLLOW THE GUIDELINES ABOVE MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.**






Before you begin, please read Page 2 of "Assembly and Care Advice".

And remember, do not tighten until each step is completed or instructed.

### Parts List

- 
#1 x 1pc  
Left Panel
- 
#2 x 1pc  
Right Panel
- 
#3 x 1pc  
Front Panel
- 
#4 x 1pc  
Back Panel
- 
#5 x 1pc  
Front Side Rail
- 
#6 x 1pc  
Back Side Rail
- 
#7 x 1pc  
Back Fame
- 
#8 x 1pc  
Front Frame
- 
#9 x 3pcs  
Base Frame

### Parts List

- 
#10 x 1pc  
Ladder
- 
#11 x 1pc  
Left Spring hinge
- 
#12 x 1pc  
Right Spring hinge
- 
#13 x 1pc  
Connected
- 
#14 x 4pcs  
Garnish

### Hardware List



- 
#A x 12pcs  
Bolt Ø1/4"x5/8"
- 
#B x 16pcs  
Bolt Ø1/4"x3/4"
- 
#C x 4pcs  
Bolt Ø1/4"x1-1/4"






Before you begin, please read Page 2 of "Assembly and Care Advice".

And remember, do not tighten until each step is completed or instructed.

### Hardware List

-  #D x 4pcs  
Bolt Ø5/16"x1-1/4"
-  #E x 8pcs  
Bolt Ø5/16"x1-3/4"
-  #F x 1pc  
Bolt M4x9mm
-  #G x 16pcs  
Bolt Ø5/16"x12mm
-  #H x 12pcs  
Hex Nut
-  #I x 1pc  
Hex Nut
-  #J x 32pcs  
Small Washer Ø 16mm
-  #K x 20pcs  
Middle Washer Ø 18mm
-  #L x 4pcs  
Large Washer Ø 24mm

### Hardware List



-  #M x 4pcs  
20x40mm
-  #N x 1pc  
Connection strap
-  #O x 1pc  
Allen Wrench M4
-  #P x 1pc  
Allen Wrench M5
-  #Q x 1pc  
13mm Wrench
-  #R x 1pc  
14mm Wrench



### ASSEMBLY

Do not fully tighten all bolts until assembly is complete. This will help all parts to assemble properly.



- #B  8pcs
- #J  8pcs
- #O 



1. Prepare 8 bolt assemblies by inserting a flat washer (#J) onto the bolt (#B).
2. Align each end of the front panel (#3) and back panel (#4) to the holes along the top sides of the left and right panel (#1,2). Then insert 2 bolt assemblies into each end. Secure using the Allen wrench.



- #B  8pcs
- #J  8pcs
- #O 




1. Prepare 8 bolt assemblies by inserting a flat washer (#J) onto the bolt (#B).
2. Align each end of the front side rail (#5) and back side rail (#6) to the holes along the bottom sides of the left and right panel (#1,2). Then insert 2 bolt assemblies into each end. Secure using the Allen wrench.





1. Prepare 4 bolt assemblies by inserting a flat washer (#J) onto the bolt (#C).

- #C  4pcs
- #J  4pcs
- #O 




#10




2. Hook the top of the ladder (#10) and align the bottom. Insert a bolt assembly into each end and secure using the Allen wrench (#O).




- #A  12pcs
- #J  12pcs
- #O 



1. Prepare 12 bolt assemblies by inserting a flat washer (#J) onto the bolt (#A).





2. Place the base frames (#9) onto the top bed, then insert a bolt assembly into each end from beneath. Secure using the Allen wrench (#O).



#G  16pcs

#R 

Align the garnish (#14) to each corner of the top and bottom beds, then insert 4 bolts (#G) into each garnish and secure using the wrench (#R).



1. Align the left and right spring hinge (#11,12) to the holes along the bottom sides of the panels (#1,2).

#D  4PCS

#H  4PCS

#K  4PCS

#L  4PCS

#P 


#Q 


**DANGEROUS !**

**REMARK:**



BE CARE FOR YOUR FINGER WHEN TRANSMISSION MOVING.

2. Insert a bolt (#D) with a large washer (#L) into the outer holes, once inserted apply a middle washer (#K) and a hex nut (#H). Secure using the Allen wrench (#P) and wrench (#Q).







- #E  8PCS
- #H  8PCS
- #K  16PCS
- #P 
- #Q 




1. Apply an (#M) onto each end of the front side rail (#5).


- #M  2pcs
- #N  1pc




2. Place the back frame (#7) and front frame (#8) onto the spring hinges and front rail. then apply a connection strap (#N) in the center of the frames to connect.




#M  2pcs




Apply an (#M) onto each end of the back side rail (#6).






1. Wrap the connected (#13) around the front side rail (#5), then insert a bolt (#F) and a hex nut (#I) onto the other side, then secure.


- |    |   |     |
|----|---|-----|
| #F |   | 1pc |
| #I |  | 1pc |




2. Hook the connected (#13) onto a bar along the front frame (#8).





**CAUTION: THE EXTRA SAFETY HOOK CAN NOT EASILY ALLOW CONSUMERS PUT THE FUTON LOWER FROM THE SEATED TO THE FLAT POSITION AND PREVENT FROM ENTRAPMENT HAZARD.**




**NOTE: WHEN YOU NEED TO PUT THE FUTON LOWER TO AS A FLAT BED, PLEASE REMOVE THE HOOK FOLLOWING STEP**





FOLLOW THE INFORMATION ON THE WARNING APPEARING ON THE UPPER BUNK END STRUCTURE AND ON THE CARTON. DO NOT REMOVE WARNING LABEL FROM BED.KEEP THESE INSTRUCTION FOR FUTURE REFERENCE.



## Safety Warnings

1. Follow the information on the warnings appearing on the upper bunk end structure and on the carton . Do not remove warning label from bed.
2. Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.
3. Surface of mattress must be at least 5 in (127mm) below the upper edge of guardrails .
4. Do not allow children under 6 years of age to use the upper bunk.
5. Periodically check and ensure that the guardrail, ladder , and other components are in their proper position , free from damage , and that all connectors are tight .
6. Do not allow horseplay on or under the bed and prohibit jumping on the bed.
7. Always use the ladder for entering and leaving the upper bunk.
8. Do not use substitute parts , Contact manufacturer or dealer for replacement parts.
9. Use of a night light may provide added safety precaution for a child using the upper bunk.
10. Always use guardrails on both long sides of the upper bunk.  
If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
11. The use of water or sleep flotation mattress is prohibited .
12. Keep these instructions for future reference.
13. Use only mattress which is (74"-75")X(37 $\frac{1}{2}$ "-38 $\frac{1}{2}$ ")X6" on upper bunk and for bottom bunk required (74"-75")X(53"-54")X10" mattress.
14. Prohibit more than one person on upper bunk.
15. Maximum total weight is not to exceed 400 lbs. on the upper bunk.

### STRANGULATION HAZARD:

Never attach or hang items to any part of the bunk bed that are not designed for use with the bed, for example, but not limited to, hooks, belts, and jumprobes.