


INSTRUCTION MANUAL



Thank you for purchasing our product

**IN CASE OF MISSING OR BROKEN PARTS,
PLEASE CONTACT US**

**Once per person on the trampoline, please Max weight on Trampoline 330LB,
T bar is for Stability during bouncing, do not push whole weight on it.**

Table of contents

- Parts list**
- Notes & Warnings**
- Assembly Instructions**
- Assembly Instruction for T bar**
- Closing up Instruction**

Ref.No.	Part No.	Description	Unit
1	TR01	Trampoline frame with ropes & mat	1
2	TR02	Trampoline legs	8
3	TR03	Handle T bar-Top handle	1
4	TR04	Handle T bar -Inner	1
5	TR05	Handle T bar -outer	1
6	TR06	Bottom bar	1
7	TR07	Wrench	1
	TR08	Allen Key	2
	TR09	Frame screws M8x80mm	2
	TR10	Top bar screws M8x30mm	1
	TR11	Screw on Top handle M8x35mm	1
	TR12	Screws on Bottom bar M8x15mm	2
	TR13	Safety Screw M8x50	2
8	TR14	Manual	1

		
TR01 x 1pcs	TR02 x 8pcs	TR03 x 1pcs
		
TR04 x 1pcs	TR05 x 1pcs	TR06 x 1pcs
		
TR07 x 1pcs	TR08 x 1pcs	TR09 x 2pcs
		
TR10 x 1pcs	TR11 x 1pcs	TR12 x 2pcs
		
TR13 x 2pcs		

Notes & Warnings

- The trampoline should be installed on a stable base and properly leveled.
- The legs of the trampoline are installed tightly, please make sure not to pinch your fingers or hand during assembly.
- The elastic cords can be stiff in the early stages of usage of the trampoline and will loosen with time. Please be careful while install the trampoline and do not hurt your hand.
- The handle bar when attached to the trampoline will have some movement, and is designed for aiding your balance only. It is not designed to support your entire weight.
- The product is for indoor use only. Always ensure that the trampoline is used by only one person at a time.
- The product should NOT be used by persons weighting more than 330lbs /150kgs.
- Do not use trampoline if you have consumed alcohol or narcotic substances
- Must use the trampoline on wall to wall, carpet or a floor than is not slippery so unit does not slide when used.
- It's important to keep unsupervised children away from the trampoline when use the trampoline.
- It's important that when getting on the trampoline you shall not step on the frame as the trampoline otherwise tilts;



- The safety level of the trampoline can be maintained only if it is examination regularly for damage and wear, e.g. elastic cords, connection points;
- Payspecial attention to components most susceptible to wear (e. g. mat, elastic cords);
- Replace defective components immediately and/or keep the equipment out of use until repair.
- Injuries to health may result from incorrect or excessive training.
- While use the product, enough free space (more than 1m from all directions) should be kept.




WARNING

Keep others away from equipment when in use. Children under the age of 12 should be instructed before using the trampoline, as with any fitness exercise program, please consult with your doctor before use

-Assembly Instructions

1. Lay the trampoline on the floor, in its still folded position (**image 1**). Push out the ends according to the arrows on the picture, so the rebounder expands and looks like a half moon (**image2**).




2. Using steady pressure with hands open and finger extended, use palm of hands to push top side of frame up, over and down to open position. With our logo and patterns down (image 3)



WARNING: Frame will snap close, FIX the Trampoline with **Safety Screws thus it will not snap close!!!! The Snap Back will be Dangerous!!! Please keep all fingers away from hinge are when opening and closing!!!!**

3. Install the **safety screws** on the hinge (image4), for this trampoline will not fold when using.




4. With the trampoline now open and still upside down, install all 8 legs



T bar Assembly:

Attention: There is a hole at center of the frame tube, before install the bottom connect bar, please find the hole first (as shown A).

1. Please find out bottom bar(TR06), To install on two legs, first remove rubber "feet" from these 2 legs, as shown B and C, Fix the bottom BarTR06 with Two TR12 screws with help of Allen Key TR08, then recap rubber feet.




2. Now connect the trampoline frame(TR01) and Bottom Bar(TR06) with the handle bar OUTER (TR05) by two long screws(TR09)



3. Insert TR04 into TR05, fix with TR10 Screw, 3 positions for your choice




4. Then install the Top bar(TR03) and innerbar(TR04) by screws, connect all parts as picture show



CLOSING UP INSTRUCTIONS


IMPORTANT SAFETY NOTE: Always close your trampoline with 2 people.

1. Turn the unit upside down and lay it flat.
2. Take each leg out.
3. Locate the larger hinges on each side of the trampoline. Stand near the hinges on opposite sides of the trampoline facing the upper half of the frame



4. Both persons kneel facing the “top half” of the trampoline and place their knee closest to the trampoline on the “bottom half” of the frame approximately 2 inches below (not on) the hinge (**Image B**).
5. Both persons lean forward placing their outside hand on the ground and use their inside hand to grasp one of the spring ropes near the top of the trampoline (**image C**)

6. Together pull gently on the spring ropes and the top half of the frame will raise toward the middle. Ensure that your head is clear of moving frame



Note: Watch out for your hands, feet body part, etc. And always take 2 people to fold the trampoline